4.15.6 RA5 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

| 4.15.6.1 | Exception: RA5-1 Map # 20 By-law | | By-law: 0174-2017 | | | |
|------------|---|--|-------------------|--|--|--|
| | In a RA5-1 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| 4.15.6.1.1 | 4.15.6.1.1 Minimum floor space index - apartment zone 0.5 | | | | | |
| 4.15.6.1.2 | Maximum floor space index - apartment zone1.2 | | | | | |

| 4.15.6.2 | Exception: RA5-2Map #By-law: | | By-law: 0174-2017 | | | |
|------------|---|--------------------|-------------------|--|--|--|
| | In a RA5-2 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: Regulations | | | | | |
| 4.15.6.2.1 | Minimum floor space inde | x - apartment zone | 0.7 | | | |
| 4.15.6.2.2 | Maximum floor space index - apartment zone 1.0 | | | | | |

| 4.15.6.3 | Exception: RA5-3 | Map # 21 | By-law: 0174-2017, 0122-2022 | | | | |
|------------|---|--------------------|---------------------------------|--|--|--|--|
| | In a RA5-3 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| 4.15.6.3.1 | Minimum floor space index | x - apartment zone | 0.8 | | | | |
| 4.15.6.3.2 | Maximum floor space index - apartment zone 1 | | | | | | |

| 4.15.6.4 | Exception: RA5-4 | Map # 14, 15, 21, 29, 37W | By-law: 0174-2017 | | | |
|---|--------------------------|---------------------------|-------------------|--|--|--|
| In a RA5-4 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | |
| 4.15.6.4.1 | Minimum floor space inde | x - apartment zone | 1.0 | | | |
| 4.15.6.4.2 | Maximum floor space inde | ex - apartment zone | 1.5 | | | |

| 4.15.6.5 | Exception: RA5-5 Map # By-la | | By-law: 0174-2017 | | | |
|---|---|--|-------------------|--|--|--|
| | In a RA5-5 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| 4.15.6.5.1 Minimum floor space index - apartment zone 1.2 | | | | | | |
| 4.15.6.5.2 | Maximum floor space index - apartment zone 1.5 | | | | | |

| 4.15.6.6 | Exception: RA5-6 | By-law: 0174-2017 | | | | |
|---|---|--------------------|-----|--|--|--|
| | In a RA5-6 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| 4.15.6.6.1 Minimum floor space index - apartment zone 1.0 | | | | | | |
| 4.15.6.6.2 | Maximum floor space inde | x - apartment zone | 1.8 | | | |

| 4.15.6.7 | Exception: RA5-7 | Map # 10 | By-law: 0174-2017 | | | |
|---|---|---------------------|-------------------|--|--|--|
| | In a RA5-7 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| 4.15.6.7.1Minimum floor space index - apartment zone1.0 | | | | | | |
| 4.15.6.7.2 | Maximum floor space inde | ex - apartment zone | 2.5 | | | |

| 4.15.6.8 | Exception: RA5-8 | Map # 21 | By-law: 0174-2017 | | | | |
|------------|---|----------|-------------------|--|--|--|--|
| | In a RA5-8 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| 4.15.6.8.1 | 4.15.6.8.1Minimum floor space index - apartment zone1.5 | | | | | | |
| 4.15.6.8.2 | Maximum floor space index - apartment zone2.0 | | | | | | |

| 4.15.6.9 | Exception: RA5-9 Map # 22, 24 By-law: 0174-20 | | By-law: 0174-2017 | | | |
|------------|---|--------------------|-------------------|--|--|--|
| | In a RA5-9 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: Regulations | | | | | |
| 4.15.6.9.1 | Minimum floor space inde | x - apartment zone | 1.5 | | | |
| 4.15.6.9.2 | Maximum floor space index - apartment zone 3.0 | | | | | |

| 4.15.6.10 | Exception: RA5-10 | By-law: 0174-2017 | | | | |
|--|--|-------------------|--|--|--|--|
| | In a RA5-10 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| 4.15.6.10.1 Minimum floor space index - apartment zone 1.9 | | | | | | |
| 4.15.6.10.2 | 2 Maximum floor space index - apartment zone 2.9 | | | | | |

| 4.15.6.11 | Exception: RA5-11 | Map # 29 | By-law: 0174-2017 | | | |
|--|---|------------|-------------------|--|--|--|
| In a RA5-11 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | Regulations | | | | | |
| 4.15.6.11.1 | Maximum number of dwelling units 359 | | | | | |
| 4.15.6.11.2Minimum floor space index - apartment zone1.9 | | | | | | |
| 4.15.6.11.3 | Maximum floor space index - apartment zone3.9 | | | | | |
| 4.15.6.11.4 | Maximum height | 37 storeys | | | | |

| 4.15.6.12 | Excep | tion: RA5-12 | Map # 06 | By-law: 0174-2017, 0181-2018/LPAT Order 2019 February 15 | | | | |
|----------------|--|-------------------------------|---|--|--|--|--|--|
| | In a RA5-12 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | | |
| Additional Per | rmitted | Uses | | | | | | |
| 4.15.6.12.1 | (1) (2) (3) | 2) Recreation Building | | | | | | |
| Regulations | | | | | | | | |
| 4.15.6.12.2 | Apart | ment: | | | | | | |
| | (1) | minimum floor spac | ce index - apartment zone | 1.0 | | | | |
| | (2) | maximum floor spa | ce index - apartment zone | 1.1 | | | | |
| | (3) | maximum height | | 22 storeys | | | | |
| 4.15.6.12.3 | Town | house: | | | | | | |
| | (1) | 0 | nes 15.2 to 15.6 contained in By-law shall not apply | | | | | |
| | (2) | maximum number o | f townhouse dwelling units | 5 | | | | |

| 4.15.6.13 | Exception: RA5-13 | Map # 29 | By-law: 0174-2017 | | |
|--|--|--------------------|-------------------|--|--|
| In a RA5-13 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | |
| 4.15.6.13.1 | Maximum number of dwell | ing units | 332 | | |
| 4.15.6.13.2 | 4.15.6.13.2Minimum floor space index - apartment zone1.9 | | | | |
| 4.15.6.13.3 | Maximum floor space inde | x - apartment zone | 3.6 | | |


| I | | | | | |
|--|--------------------------|--------------------|-----------------------|--|--|
| 4.15.6.14 | Exception: RA5-14 | Map # 21 | By-law: 0174-2017 | | |
| In a RA5-14 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | |
| 4.15.6.14.1 | Minimum floor space inde | x - apartment zone | 0.15 | | |
| 4.15.6.14.2 | Maximum floor space inde | x - apartment zone | 0.50 | | |
| 4.15.6.14.3 | Minimum landscaped area | l | 67.5% of the lot area | | |
| 4.15.6.14.4 | Maximum height | | 29 storeys | | |

| 4.15.6.15 | Exception: RA5-15 | Map # 22 | By-law: 0174-2017 | | | |
|-------------|--|--------------------|-------------------|--|--|--|
| | In a RA5-15 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.15.6.15.1 | Maximum number of dwell | ing units | 224 | | | |
| 4.15.6.15.2 | 6.15.2Minimum floor space index - apartment zone1.0 | | | | | |
| 4.15.6.15.3 | Maximum floor space inde | x - apartment zone | 2.1 | | | |
| 4.15.6.15.4 | Maximum height | 23 storeys | | | | |

| 4.15.6.16 | Exception: RA5-16 | Map # 22 | By-law: OMB Order 2009 January 23, 0174-2017, 0208-2022 | | |
|-------------|--|--|---|--|--|
| | zone the permitted uses and ap e following uses /regulations sl | | s specified for a RA5 zone | | |
| Regulations | | | | | |
| 4.15.6.16.1 | A | a Subsection 2.1.14 and the reg and in Table 4.15.1 of this By- | | | |
| 4.15.6.16.2 | | Maximum number of dwelling units in Buildable Area 'A' 300 identified on Schedule RA5-16 of this Exception | | | |
| 4.15.6.16.3 | Maximum number of dwell identified on Schedule RA5 | 'B' 279 | | | |
| 4.15.6.16.4 | Maximum number of dwell identified on Schedule RA5 | 'C' 330 | | | |
| 4.15.6.16.5 | Maximum gross floor area Buildable Area 'A' identifie this Exception | 22 900 m ² | | | |
| 4.15.6.16.6 | Maximum gross floor area Buildable Area 'B' identifie this Exception | | 22 380 m ² | | |
| 4.15.6.16.7 | Maximum gross floor area Buildable Area 'C' identifie this Exception | 24 200 m ² | | | |
| 4.15.6.16.8 | Maximum projection of an Buildable Area 'B' identifie this Exception | 1.5 m | | | |
| 4.15.6.16.9 | Minimum resident parking | spaces per dwelling unit | 1.10 | | |

Exception RA5-16 continued on next page

| | | 1 | | |
|--------------|---|-----------|---|--|
| 4.15.6.16 | Exception: RA5-16 | Map # 22 | By-law: OMB Order 2009 January 23, 0174-2017, 0208-2022 | |
| Exception RA | 5-16 continued from previ | ious page | | |
| 4.15.6.16.10 | Minimum visitor parking spaces per dwelling unit 0.15 | | | |
| 4.15.6.16.11 | Vehicular access to or from lands zoned RA5-16 by means of Omeath Court shall not be permitted | | | |
| 4.15.6.16.12 | Notwithstanding Sentence 4.15.6.16.11 of this Exception, vehicular access to or from lands zoned RA5-16 by means of Omeath Court shall be permitted on a temporary basis until April 1, 2009 | | | |
| 4.15.6.16.13 | All site development plans shall comply with Schedule RA5-16 of this Exception | | | |




Map 22

| 4.15.6.17 | Exception: RA5-17 | Map # 22 | By-law: 0174-2017 |
|-----------------|--|---|----------------------------|
| | | | |
| | | plicable regulations shall be a | s specified for a RA5 zone |
| except that the | following uses/regulations sh | nall apply: | |
| Regulations | | | |
| 4.15.6.17.1 | Maximum number of dwell | ing units per hectare | 185 |
| 4.15.6.17.2 | Minimum floor space index | 1.00 | |
| 4.15.6.17.3 | Maximum floor space inde | 1.75 | |
| 4.15.6.17.4 | Maximum gross floor area accessory uses | 300 m ² | |
| 4.15.6.17.5 | Minimum landscaped area | | 67.5% of the lot area |
| 4.15.6.17.6 | Maximum height | 27 storeys | |
| 4.15.6.17.7 | Minimum number of parki area - non-residential | ng spaces per 100 m ² gross fl | oor 4.0 |


| 4.15.6.18 | Exception: RA5-18 | Map # 21 | By-law: 0174-2017 | | |
|--|---------------------------|--------------------|-------------------|--|--|
| In a RA5-18 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | |
| 4.15.6.18.1 | Minimum floor space index | x - apartment zone | 1.5 | | |
| 4.15.6.18.2 | Maximum floor space inde | x - apartment zone | 2.0 | | |
| 4.15.6.18.3 | Maximum height | | 33 storeys | | |

| 4.15.6.19 | Excep | tion: RA5-19 | Map # 27 | By-law: 0174-2017, 0181-2018/LPAT Order 2019 February 15 | | | | |
|----------------|--|---|--|--|--|--|--|--|
| | In a RA5-19 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | | |
| Additional Per | rmitted | Use | | | | | | |
| 4.15.6.19.1 | (1) | Townhouse | | | | | | |
| Regulations | | | | | | | | |
| 4.15.6.19.2 | | The regulations of Lines 4.0 and 5.0 contained in Table 4.15.1 of this By-law shall not apply | | | | | | |
| 4.15.6.19.3 | Maximum gross floor area | | | 1.53 times the lot are | | | | |
| 4.15.6.19.4 | Minim | num landscaped area | 50% of the lot area | | | | | |
| 4.15.6.19.5 | Apart | Apartment: | | | | | | |
| | (1) | maximum number o | f apartment dwelling units | 189 | | | | |
| | (2) | maximum height | | 20 storeys | | | | |
| 4.15.6.19.6 | Town | house: | | | | | | |
| | (1) | <u> </u> | nes 15.2 to 15.6 contained in By-law shall not apply | | | | | |
| | (2) | maximum number o | f townhouse dwelling units | 31 | | | | |
| 4.15.6.19.7 | | All site development plans shall comply with Schedule RA5-19 of this Exception | | | | | | |



Schedule RA5-19 Map 27

| 4.15.6.20 | Exception: RA5-20 | Map # 28 | By-law: 0174-2017, 0208-2022 | |
|-------------|---|---|--------------------------------------|--|
| | zone the permitted uses and e following uses /regulations | | shall be as specified for a RA5 zone | |
| Regulations | | | | |
| 4.15.6.20.1 | The provisions contained of Lines 4.0 and 5.0 conta shall not apply | | | |
| 4.15.6.20.2 | | Maximum gross floor area - apartment zone in37 990 m²Buildable Area 'A' identified on Schedule RA5-20 of this Exception37 990 m² | | |
| 4.15.6.20.3 | Maximum gross floor ar Buildable Area 'B' identi this Exception | | | |
| 4.15.6.20.4 | Maximum gross floor ar Buildable Area 'C' identi this Exception | | | |
| 4.15.6.20.5 | Maximum gross floor ar Buildable Area 'D' ident this Exception | | | |
| 4.15.6.20.6 | A parking structure com may project outside the b Schedule RA5-20 of this | uildable area identifie | | |
| 4.15.6.20.7 | Minimum setback from a finished grade to all lands | | | |
| 4.15.6.20.8 | All site development plar of this Exception | s shall comply with Sc | hedule RA5-20 | |



Map 28

| 4.15.6.21 | Exception: RA5-21 | Map # 20 | By-law: 0174-2017 | | | |
|--|---------------------------|--------------------|-------------------|--|--|--|
| In a RA5-21 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | Regulations | | | | | |
| 4.15.6.21.1 | Minimum floor space index | x - apartment zone | 1.2 | | | |
| 4.15.6.21.2 Maximum floor space index - apartment zone 1.5 | | | | | | |
| 4.15.6.21.3 | Maximum height | | 27 storeys | | | |

| 4.15.6.22 | Exception: RA5-22 | Map # 32 | By-law: 0174-2017 | | | |
|-------------|--|----------------------|-------------------|--|--|--|
| | In a RA5-22 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | | |
| 4.15.6.22.1 | Minimum number of dwelli | ng units per hectare | 114 | | | |
| 4.15.6.22.2 | Maximum number of dwell | 247 | | | | |
| 4.15.6.22.3 | Minimum floor space index | 1.0 | | | | |
| 4.15.6.22.4 | Maximum floor space inde | 2.5 | | | | |
| 4.15.6.22.5 | Minimum setback to Glen E | 18.3 m | | | | |
| 4.15.6.22.6 | Minimum setback to all land | ds zoned RA1-29 | 15.2 m | | | |

| 4.15.6.23 | Exception: RA5-23 | Map # 36W | By-law: 0178-2015/OMB Order 2017 December 15, 0174-2017, 0072-2018, 0179-2018, 0111-2019/ LPAT Order 2021 March 09 | | |
|----------------|--|---|--|--|--|
| | ne the permitted uses and ap following uses /regulations sh | plicable regulations shall be a nall apply: | s specified for a RA5 zone | | |
| Additional Per | mitted Uses | | | | |
| 4.15.6.23.1 | Retail Store Service Establishment Financial Institution | | | | |
| Regulations | | | | | |
| 4.15.6.23.2 | The provisions contained in Subsection 2.1.14, Article 4.1.15.1 and the regulations of Lines 11.1 and 11.2 contained in Table 4.15.1, of this By-law shall not apply | | | | |
| 4.15.6.23.3 | Maximum number of dwelling units 404 | | | | |
| 4.15.6.23.4 | 4 The uses contained in Sentence 4.15.6.23.1 of this Exception shall only be located within a building , structure or part thereof, used for an apartment , long-term care building , retirement building , or any combination thereof | | | | |
| 4.15.6.23.5 | Uses contained in Sentence 4.15.6.23.1 of this Exception on the first storey shall be within an area having a minimum depth of 10.0 m measured from the streetwall abutting Hurontario Street | | | | |
| 4.15.6.23.6 | The lot line abutting Hurontario Street shall be deemed to be the front lot line | | | | |

Exception RA5-23 continued on next page

| 4.15.6.23 | | ion: RA5-23 | Map # 36W | Order 201 0174-201 0179-201 | 0178-2015/OMB 17 December 15, 7, 0072-2018, 8, 0111-2019/ der 2021 March 09 | |
|--------------|---|--|--|-----------------------------------|---|--|
| | | ntinued from previou | s page | | | |
| 4.15.6.23.7 | | um front yard : | | | | |
| | (1) | for that portion of the or equal to 12.0 m | e dwelling with a height less | than | 3.0 m | |
| | (2) | for that portion of the than 12.0 m | e dwelling with a height grea | ter | 13.0 m | |
| 4.15.6.23.8 | Minim | um exterior side yard | 1: | | | |
| | (1) | for that portion of th to 6.5 m | e dwelling with a height equ | al | 3.0 m | |
| | (2) | for that portion of th than 6.5 m | e dwelling with a height grea | ater | 4.5 m | |
| 4.15.6.23.9 | Minim | um interior side yard | l: | | | |
| | (1) | for that portion of th use with a height eq | e dwelling containing a resid ual to 6.5 m | ential | 4.5 m | |
| | (2) | for that portion of a building , structure or part thereof, 3.0 m with uses contained in Sentence 4.15.6.23.1 of this Exception | | | | |
| | (3) | for that portion of the dwelling with a height greater than 6.5 m | | | 23.0 m | |
| 4.15.6.23.10 | Minim | um rear yard : | | | | |
| | (1) | for that portion of th to 6.5 m | e dwelling with a height equ | al | 3.0 m | |
| | (2) | for that portion of th than 6.5 m | e dwelling with a height grea | ater | 37.0 m | |
| 4.15.6.23.11 | Minim | um landscaped area | | | 22% of lot area | |
| 4.15.6.23.12 | care by the firs | uilding or retirement | bry to an apartment , long-ten building , shall not be permit n of the lot line abutting | | | |
| 4.15.6.23.13 | Minim | um floor space index | - apartment zone | | 2.9 | |
| 4.15.6.23.14 | Maxim | um floor space index | a - apartment zone | | 5.1 | |
| 4.15.6.23.15 | Maxim | um gross floor area - | apartment zone | | 29 200 m ² | |
| 4.15.6.23.16 | Minim | um height of a buildi | ng, structure or part thereof | | 6.5 m | |
| 4.15.6.23.17 | Maxim | um height | | | 33 storeys | |
| 4.15.6.23.18 | Main front entrance for uses contained in Sentence 4.15.6.23.1 of this Exception and located on the first storey shall face Hurontario Street | | | | | |
| 4.15.6.23.19 | | ront entrance of an a rement building shall | p artment, long-term care b face Nahani Way | uilding | | |
| 4.15.6.23.20 | Minim | Minimum setback from a parking structure completely below finished grade to a street line | | | 0.0 m | |
| 4.15.6.23.21 | | ас. | | | 1.0 m | |
| 4.15.6.23.22 | A driv be perr part the | Minimum vertical depth1.0 mA driveway, aisle, parking area or loading space shall not be permitted between a wall of a building or structure, or part thereof and the lot line abutting Hurontario Street and Nahani Way1.0 m | | | | |
| 4.15.6.23.23 | | um number of residen ninium apartment dwe | t parking spaces per studio elling unit | | 0.8 | |

Exception RA5-23 continued on next page

| 4.15.6.23 | Exception: RA5-23 | Map # 36W | ~ | 78-2015/OMB December 15, | | |
|--------------|---|--|---|-----------------------------|--|--|
| | | | | 0072-2018, | | |
| | | | | 0111-2019/ | | |
| | | | LPAT Orde | r 2021 March 09 | | |
| Exception RA | 5-23 continued from previou | s page | | | | |
| 4.15.6.23.24 | Minimum number of residen condominium apartment dwe | t parking spaces per one-bed Elling unit | room | 0.9 | | |
| 4.15.6.23.25 | Minimum number of residen condominium apartment dwe | t parking spaces per two-bed Elling unit | room | 1.0 | | |
| 4.15.6.23.26 | Minimum number of residen condominium apartment dwe | t parking spaces per three-be Elling unit | droom | 1.2 | | |
| 4.15.6.23.27 | Minimum number of visitor parking spaces per condominium0.10apartment dwelling unit0.10 | | | 0.10 | | |
| 4.15.6.23.28 | arrangement may be used for | e component, a shared parking the calculation of required g in accordance with the follo | | | | |
| | the greater of | | | | | |
| | 0.10 visitor parking spaces per unit | | | | | |
| | or | | | | | |
| | Parking required for all non- | residential uses | | | | |
| 4.15.6.23.29 | | g spaces per 100 m ² gross flo ses contained in Sentence 4.15 | | 4.3 | | |
| 4.15.6.23.30 | Minimum depth of a landscaped buffer abutting all lot lines 3.0 m | | | 3.0 m | | |
| 4.15.6.23.31 | A sidewalk having a maximum width of 1.5 m is permitted abutting the interior side lot line within the required landscaped buffer | | | | | |
| 4.15.6.23.32 | level of the lands measured to | o the top of the roof membran | Iandscaped buffer "Vertical Depth" means the distance between the finished grade level of the lands measured to the top of the roof membrane of a below grade parking structure | | | |

| 4.15.6.24 | Exception: RA5-24 | Map # 22 | By-law: 0174-2017 | | |
|--|---------------------------|--------------------|-------------------|--|--|
| In a RA5-24 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | |
| 4.15.6.24.1 | Minimum floor space index | x - apartment zone | 1.5 | | |
| 4.15.6.24.2 | Maximum floor space inde | x - apartment zone | 3.5 | | |
| 4.15.6.24.3 | Maximum height | | 22 storeys | | |

| 4.15.6.25 | Exception: RA5-25 | Map # 08 | By-law: 0174-2017 | | |
|--|--|----------|-------------------|--|--|
| In a RA5-25 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | |
| 4.15.6.25.1 | 4.15.6.25.1Minimum floor space index - apartment zone1.0 | | | | |
| 4.15.6.25.2 Maximum floor space index - apartment zone 1.8 | | | | | |
| 4.15.6.25.3 | Maximum height | | 20 storeys | | |

| 4.15.6.26 | Exception: RA5-26 | Map # 37E | By-law: 0174-2017 | | |
|-------------|--|--------------|---------------------|--|--|
| | In a RA5-26 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | |
| Regulations | | | | | |
| 4.15.6.26.1 | Maximum number of dwell | 197 | | | |
| 4.15.6.26.2 | Minimum floor space index | 1.0 | | | |
| 4.15.6.26.3 | Maximum floor space inde | 4.18 | | | |
| 4.15.6.26.4 | Minimum landscaped area | l | 55% of the lot area | | |
| 4.15.6.26.5 | Maximum percentage of rec may be tandem | ces that 10% | | | |
| 4.15.6.26.6 | Maximum height | | 20 storeys | | |

| 4.15.6.27 | Exception: RA5-27 | Map # 08 | By-law: 0174-2017 | | |
|--|--------------------------|--------------------|-------------------|--|--|
| In a RA5-27 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | |
| Regulations | | | | | |
| 4.15.6.27.1 | Minimum floor space inde | x - apartment zone | 1.0 | | |
| 4.15.6.27.2 Maximum floor space index - apartment zone 4.0 | | | | | |
| 4.15.6.27.3 | Maximum height | | 28 storeys | | |

| 4.15.6.28 | Exception: RA5-28 | | By-law: 0174-2017, 0111-2019/LPAT Order 2021 March 09 |
|--------------|---|---|---|
| | one the permitted uses and ap e following uses /regulations sl | plicable regulations shall be as hall apply: | specified for a RA5 zone |
| Additional P | ermitted Uses | | |
| 4.15.6.28.1 | (1) Office (2) Medical Office (3) Accessory Comment | rcial Uses | |
| Regulations | | | |
| 4.15.6.28.2 | | Subsection 4.1.15 and of Line of this By-law shall not apply | 1.0 |
| 4.15.6.28.3 | Minimum floor space inde | 1.9 | |
| 4.15.6.28.4 | Maximum floor space inde | 3.6 | |
| 4.15.6.28.5 | Maximum gross floor area commercial uses | essory 1 422 m ² | |
| 4.15.6.28.6 | | shall be located wholly within thereof used for an apartment | |
| 4.15.6.28.7 | Maximum height | 34 storeys | |
| 4.15.6.28.8 | Minimum number of parki area - non-residential for a restaurant | | |
| 4.15.6.28.9 | Minimum number of parki area - non-residential for a | ng spaces per 100 m ² gross flo a restaurant | or 10.0 |

Exception RA5-28 continued on next page

| | 1 | | | |
|--------------|---------|-----------------------------|--|--|
| 4.15.6.28 | Excep | tion: RA5-28 | Map # 29 | By-law: 0174-2017, |
| | | | | 0111-2019/LPAT Order |
| | | | | 2021 March 09 |
| Exception RA | 5-28 co | ntinued from previou | is page | |
| 4.15.6.28.10 | Apart | ment: | | |
| | (1) | maximum number of | f dwelling units per hectare | 250 |
| 4.15.6.28.11 | Office | and medical office : | | |
| | (1) | | f parking spaces per 100 m ² on-residential for an office | 3.2 |
| | (2) | minimum number of office | f parking spaces for a medic | cal 5.0 spaces per physician, dentist, drugless practitioner or health professional |
| 4.15.6.28.12 | | e a music school, a dar | otion, a commercial school sl nce school, a martial arts scho | |
| 4.15.6.28.13 | institu | | s" means a retail store, finar iment, private club , fitness c ial school | |

| 4.15.6.29 | Exception: RA5-29 | Map # 29 | By-law: 0174-2017, 0111-2019/LPAT Order 2021 March 09 | | |
|---------------------|---|---|---|--|--|
| | zone the permitted uses and he following uses /regulation | | shall be as specified for a RA5 zone | | |
| Additional H | Permitted Uses | | | | |
| 4.15.6.29.1 | (1) Office (2) Medical Office (3) Accessory Com | | | | |
| Regulations | | | | | |
| 4.15.6.29.2 | | d in Subsection 4.1.15 as 2.1.1 of this By-law shall | | | |
| 4.15.6.29.3 | Maximum gross floor a commercial uses | Maximum gross floor area - non-residential used for accessory 1 422 m ² commercial uses | | | |
| 4.15.6.29.4 | | uses shall be located who part thereof used for an a | | | |
| 4.15.6.29.5 | Maximum height | | 34 storeys | | |
| 4.15.6.29.6 | Minimum number of parking spaces per 100 m² gross floor area - non-residential for accessory commercial uses except a restaurant3.2 | | | | |
| 4.15.6.29.7 | Minimum number of parking spaces per 100 m² gross floor10.0area - non-residential for a restaurant10.0 | | | | |
| 4.15.6.29.8 | Apartment: | | | | |
| | (1) maximum numb | per of dwelling units per | hectare 250 | | |

Exception RA5-29 continued on next page

| 4.15.6.29 | Excep | tion: RA5-29 | Map # 29 | 0111- | w: 0174-2017, 2019/LPAT Order March 09 |
|--------------|--|--|--|----------------------|--|
| Exception RA | 5-29 со | ntinued from pre | evious page | | |
| 4.15.6.29.9 | Office | e and medical offi | ce: | | |
| | (1) | | per of parking spaces p n-residential for an off | | 3.2 |
| | (2) | minimum numb office | per of parking spaces f | for a medical | 5.0 spaces per physician, dentist, drugless practitioner or health professional |
| 4.15.6.29.10 | For the purpose of this Exception, a commercial school shall include a music school, a dance school, a martial arts school and tutoring | | | | |
| 4.15.6.29.11 | institu | "Accessory Commercial Uses" means a retail store , financial institution , service establishment , private club , fitness club, restaurant and/or commercial school | | | |

| 4.15.6.30 | Excep | otion: RA5-30 | Map # 29 | By-law: 0174-2017, 0111-2019/LPAT Order 2021 March 09 | |
|---------------|--|---|--|---|--|
| | | permitted uses and ap ng uses /regulations sl | | all be as specified for a RA5 zone | |
| Additional Pe | ermitted | l Uses | | | |
| 4.15.6.30.1 | (1) (2) (3) (4) (5) | | modation cial uses to an office or cial uses to overnight a | | |
| Regulations | | | | | |
| 4.15.6.30.2 | | | n Subsection 4.1.15 and l of this By-law shall ne | | |
| 4.15.6.30.3 | Minin | Minimum floor space index - apartment zone1.9 | | | |
| 4.15.6.30.4 | Maxir | num floor space inde | 2.9 | | |
| 4.15.6.30.5 | | Maximum gross floor area - non-residential used for accessory 4 092 m ² commercial uses to an office or medical office | | | |
| 4.15.6.30.6 | locate | Accessory commercial uses to an office or medical office shall be located wholly within a building , structure or part thereof used for an office and/or medical office | | | |
| 4.15.6.30.7 | Accessory commercial uses to overnight accommodation shall be located wholly within a building , structure or part thereof used for overnight accommodation | | | | |
| 4.15.6.30.8 | Apart | tment: | | | |
| | (1) | the provisions of Su apply | bsection 4.1.15 of this | By-law shall | |
| | (2) | maximum number o | of dwelling units | 220 | |
| | | | | spaces that 25% | |


Exception RA5-30 continued on next page

| 4.15.6.30 | Exception: RA5-30 | Map # 29 | By-law: 0174-2017, 0111-2019/LPAT Order 2021 March 09 | |
|--------------|---|----------|---|--|
| Exception RA | 5-30 continued from previou | s page | | |
| 4.15.6.30.9 | 4.15.6.30.9 For the purpose of this Exception, a commercial school shall include a music school, a dance school, a martial arts school and tutoring | | | |
| 4.15.6.30.10 | "Accessory Commercial Uses to an Office or Medical Office" means a retail store , restaurant , convenience restaurant , service establishment , repair establishment , financial institution , fitness club, commercial school and/or private school | | | |
| 4.15.6.30.11 | "Accessory Commercial Uses to Overnight Accommodation" means a convenience store and service establishment | | | |

| 4.15.6.31 | Exception: RA5-31 | Map # 36W | By-law: 0174-2017 | | | | |
|-------------|--|--------------------|---------------------|--|--|--|--|
| | In a RA5-31 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.15.6.31.1 | Minimum floor space index | x - apartment zone | 1.9 | | | | |
| 4.15.6.31.2 | Maximum floor space inde | x - apartment zone | 2.4 | | | | |
| 4.15.6.31.3 | Minimum landscaped area | | 35% of the lot area | | | | |
| 4.15.6.31.4 | Minimum setback to a lot li | ne | 5.0 m | | | | |

| 4.15.6.32 | Exception: RA5-32 | Map # 05 | By-law: | | | |
|--|-------------------|----------|---------|--|--|--|
| In a RA5-32 zone the applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Permitted Use | | | | | | |
| 4.15.6.32.1 Lands zoned RA5-32 shall only be used for the following: | | | | | | |
| (1) Landscaped area accessory to the permitted uses on abutting lands zoned RA5-6 | | | | | | |

| 4.15.6.33 | Exce | ption: RA5-33 | Map # 22 | By-law: 0111-2019/LPAT Order 2021 March 09, 0121-2020/LPAT Order 2021 March 11 | |
|-------------|------------|---|--|---|--|
| | | applicable regulati | ons shall be as specified | for a RA5 zone except that the | |
| Permitted U | ses | | | | |
| 4.15.6.33.1 | Land | s zoned RA5-33 sh | all only be used for the fo | ollowing: | |
| | (1) (2) | Office Retail Commerc | ial Uses Accessory to an | Office | |
| Regulations | | | | | |
| 4.15.6.33.2 | | | vith the O1 zone regulati By-law except that: | ons contained in | |
| | (1) | the provisions of Line 7.0 contained in Table 5.2.1 of this By-law shall not apply | | | |
| | (2) | maximum total g | sidential $61 439 \text{ m}^2$ | | |
| | (3) | maximum gross retail commercia | | | |
| | (4) | maximum height | | 20 storeys | |
| | (5) | minimum number of parking spaces per 100 m ² gross floor area - non-residential used for retail commercial uses accessory to an office | | 0 | |
| | (6) | floor area - non use accessory to 30 719 m ² of gro | minimum number of parking spaces per 100 m^2 gross floor area - non-residential used for a retail commercial use accessory to an office, where a minimum of $30 719 \text{ m}^2$ of gross floor area - non-residential used for an office exists on lands zoned RA5-33 | | |
| | (7) | a retail store, fin establishment, e | cial Uses Accessory to an nancial institution, serve office, recreational estal e-out restaurant and/or o | ce llishment, | |
| | (8) | | ent plans shall comply w 3 of this Exception | rith | |



Map 22

| 4.15.6.34 | Exception: RA5-34 | Map # 32 | By-law: 0174-2017 | | | |
|--|---|----------|-------------------|--|--|--|
| In a RA5-34 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | |
| 4.15.6.34.1 | Minimum number of dwelling units per hectare 114 | | | | | |
| 4.15.6.34.2 | 2 Maximum number of dwelling units per hectare 247 | | | | | |
| 4.15.6.34.3 | Minimum floor space index - apartment zone 1.0 | | | | | |
| 4.15.6.34.4 | Maximum floor space index - apartment zone | | | | | |

| 4.15.6.35 | Exception: RA5-35 | Map # 22 | By-law: 0174-2017 | | | |
|--|---------------------------|--------------------|-------------------|--|--|--|
| In a RA5-35 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | Regulations | | | | | |
| 4.15.6.35.1 | Minimum floor space index | x - apartment zone | 1.5 | | | |
| 4.15.6.35.2 | Maximum floor space inde | x - apartment zone | 4.0 | | | |
| 4.15.6.35.3 | Maximum height | | 22 storeys | | | |

| 4.15.6.36 | Exception: RA5-36 | Map # 32 | By-law: 0325-2008, 0174-2017 | | | | |
|--------------|--|----------------------------|------------------------------|--|--|--|--|
| | In a RA5-36 zone the permitted uses and applicable regulations shall be as specified for a RA5 zone except that the following uses /regulations shall apply: | | | | | | |
| Regulations | | | | | | | |
| 4.15.6.36.1 | The provisions contained in shall not apply | Subsection 2.1.14 c | of this By-law | | | | |
| 4.15.6.36.2 | Minimum number of dwelli | ng units per hectare | e 114 | | | | |
| 4.15.6.36.3 | Maximum number of dwell | ing units per hectar | e 247 | | | | |
| 4.15.6.36.4 | Minimum floor space inde | x - apartment zone | 1.0 | | | | |
| 4.15.6.36.5 | Maximum floor space inde | 2.5 | | | | | |
| 4.15.6.36.6 | Minimum setback to a park mechanical shafts that are a Eglinton Avenue West | | | | | | |
| 4.15.6.36.7 | Minimum setback to a park shafts that are above or belo Avenue, Glen Erin Drive an | | | | | | |
| 4.15.6.36.8 | Minimum setback to a park mechanical shafts that are a south property line | | | | | | |
| 4.15.6.36.9 | Minimum aisle width | Minimum aisle width | | | | | |
| 4.15.6.36.10 | Minimum number of reside | 876 | | | | | |
| 4.15.6.36.11 | Minimum number of visitor | 160 | | | | | |
| 4.15.6.36.12 | For the purposes of this By- considered one lot | law, all lands zoned | RA5-36 shall be | | | | |


| 4.15.6.37 | Exception: RA5-37 | | By-law: 0308-2011, 0174-2017, 0111-2019/ LPAT Order 2021 March 09, LPAT Order 2021 March 18, 0208-2022 | | |
|-----------------------------------|---|---|--|--|--|
| | one the permitted uses and apple following uses /regulations shall | | s specified for a RA5 zone | | |
| | | | | | |
| 4.15.6.37.1 | Retail Store Restaurant Take-out Restaurant Outdoor patio accessor take-out restaurant Veterinary Clinic Service Establishmen Commercial School Financial Institution Medical Office Office Recreational Establisi University/College Outdoor Market Parking Lot | ry to a restaurant or nt | | | |
| | (14) Farking Lot | | | | |
| Regulations 4.15.6.37.2 | The provisions contained in S and 3.0 contained in Table 2.1 Subsection 4.1.15 and the reg contained in Table 4.15.1 of t | .2.1.1, Table 4.1.2.2, ulations of Lines 11.1 and 1 | | | |
| 4.15.6.37.3 | The uses contained in Clauses 4.15.6.37.1(1) to 4.15.6.37.1(12) of this Exception shall only be located on the first two storeys of an apartment and a retirement building | | | | |
| 4.15.6.37.4 | Maximum number of dwelling units and911retirement dwelling units911 | | | | |
| 4.15.6.37.5 | Maximum number of retirem may contain full culinary facili retirement building | | 140 | | |
| 4.15.6.37.6 | For the purpose of this By-law considered one lot | v, all lands zoned RA5-37 sh | all be | | |
| 4.15.6.37.7 | Maximum floor space index | - apartment zone | 3.4 | | |
| 4.15.6.37.8 | Maximum gross floor area - or combination of uses contai Exception | | | | |
| 4.15.6.37.9 | Maximum height of all build on Schedule RA5-37(1) of thi | 8 | tified 89.0 m and 25 storeys | | |
| 4.15.6.37.10 | Maximum height of all buildings and structures , or parts thereof located in Area 'B' identified on Schedule RA5-37(1) of this Exception shall be identified on Schedule RA5-37(2) of this Exception | | | | |
| 4.15.6.37.11 | Maximum height of all plant material located in Area 'B' identified on Schedule RA5-37(1) of this Exception shall not exceed the upper limit of the two metre restriction zone identified on Schedule RA5-37(2) of this Exception | | | | |
| 4.15.6.37.12 | Minimum distance between th and/or balcony and the maxin Schedule RA5-37(2) of this E | num flight path identified on | - | | |

Exception RA5-37 continued on next page


| 4.15.6.37 | Exception: RA5-37 | Map # 39E | By-law: 0308-2011, 0174-2017, 0111-2019/ LPAT Order 2021 March 09, LPAT Order 2021 March 18, 0208-2022 | |
|--------------|--|---|--|--|
| Exception RA | 5-37 continued from previou | s page | | |
| 4.15.6.37.13 | part of the building that has i elevation of 164.5 m ASL, ar | tion, height and storeys of a hereof shall be measured from its floor closest to the geodetic ad this floor shall be considered edule RA5-37(1) of this Excep | point d the | |
| 4.15.6.37.14 | | tion, storeys shall be measure ding , structure , or part thereo | | |
| 4.15.6.37.15 | | Icony outside the buildable ar face or faces of the building to both Area 'A' and Area 'B' | | |
| 4.15.6.37.16 | Minimum number of resident apartment dwelling unit | t parking spaces per one-bedr | oom 1.0 | |
| 4.15.6.37.17 | Minimum number of resident apartment dwelling unit | t parking spaces per two-bedr | oom 1.1 | |
| 4.15.6.37.18 | Minimum number of resident parking spaces per three-bedroom 1.2 apartment dwelling unit | | | |
| 4.15.6.37.19 | Minimum number of visitor j and retirement dwelling uni | parking spaces per dwelling u t | unit 0.15 | |
| 4.15.6.37.20 | Minimum number of resident retirement dwelling unit | t parking spaces per | 0.18 | |
| 4.15.6.37.21 | Minimum number of resident retirement dwelling unit wi a retirement building | | 0.45 | |
| 4.15.6.37.22 | Resident tandem parking sp | aces shall be permitted | | |
| 4.15.6.37.23 | Maximum number of residen | t tandem parking spaces | 10% of total required resident parking spaces | |
| 4.15.6.37.24 | be used for the calculation of parking in accordance with the | shared parking arrangement m required visitor/non-residentiane following: | • | |
| | the greater of 0.15 visitor spaces per unit | | | |
| | or Parking required for all non-r | residential uses | | |
| | For a restaurant greater than in accordance with applicable Table 3.1.2.2 of this By-law | a 220 m ² , parking shall be prover regulations contained in | rided | |
| 4.15.6.37.25 | Minimum number of parking gross floor area - non-resid Clauses 4.15.6.37.1(1) and 4. | | 4.3 | |
| 4.15.6.37.26 | Ventilation shafts, canopies, a porches and patios shall be pe landscaped buffer abutting l | | ens, | |
| 4.15.6.37.27 | Minimum percentage of total provided in one contiguous a | 35% | | |
| 4.15.6.37.28 | Minimum amenity area | | 4.0 m ² per dwelling unit | |

Exception RA5-37 continued on next page

| 4.15.6.37 | Exception: RA5-37 | Map # 39E | By-law: 0308-2011, 0174-2017, 0111-2019/ LPAT Order 2021 March 09, LPAT Order 2021 March 18, 0208-2022 | | |
|---------------|--|--|--|--|--|
| Exception RA | 5-37 continued from previou | is page | | | |
| 4.15.6.37.29 | Minimum amenity area to b | e provided outside at grade | 55.0 m ² | | |
| 4.15.6.37.30 | the buildable area identified | Fuctures shall be permitted out I on Schedule RA5-37(1) of th maximum combined area occup eight of 3.5 m | is | | |
| 4.15.6.37.31 | "First Storey" means the storey of a building , structure , or part thereof, that has its floor closest to the geodetic point elevation of 164.5 m ASL identified on Schedule RA5-37(1) of this Exception, and its ceiling more than 1.8 m above the geodetic point elevation of 164.5 m ASL | | | | |
| 4.15.6.37.32 | All site development plans sl Schedules RA5-37(1) and RA | | | | |
| Section 37 Fi | nancial Contribution | | | | |
| | | the <i>Planning Act</i> R.S.O., 1990 at and density of development hall be permitted where: | , | | |
| | the owner of the lands zoned RA5-37 enters into an agreement with The Corporation of the City of Mississauga ("City") for the provision of certain facilities, services or matters in return for the increased height and density of the development; the agreement is registered on title to the lands zoned RA5-37; the owner pays to the City the sum of \$660,000 to be used toward the implementation of affordable housing initiatives, a multi-use trail and outdoor fitness equipment surrounding the City's stormwater management pond adjacent to the site, and upgrades to Forest Hill Park and/or Manor Hill Park. | | | | |



Schedule RA5-37(1) Map 39E



Schedule RA5-37(2) Map 39E


| 4.15.6.38 | Exception: RA5-38 | | By-law: OMB Order 2008 April 09, 0135-2008, 0308-2011, 0126-2015, 0174-2017, 0086-2018, 0111-2019/LPAT Order 2021 March 09, 0208-2022 | | | |
|--------------|--|--|--|--|--|--|
| | one the permitted uses and ap e following uses /regulations s | oplicable regulations shall be as hall apply: | specified for a RA5 zone | | | |
| Permitted Us | es | | | | | |
| 4.15.6.38.1 | | ses shall be permitted within an rea 'A' identified on Schedule F | RA5-38 | | | |
| | Office Medical Office Retail Store Retail Store Financial Instituti Restaurant Restaurant Take-out Restaurant Outdoor patio accest take-out restaurant Service Establishmet | ant ssory to a restaurant or at | | | | |
| Uses Not Per | mitted | | | | | |
| 4.15.6.38.2 | identified on Sched(3) An apartment in E | ling in Buildable Area 'A' ule RA5-38 of this Exception Buildable Area 'B' identified on | | | | |
| Regulations | Schedule RA5-38 c | or this Exception | | | | |
| 4.15.6.38.3 | Lines 1.0 and 3.0 contained | .1.4.4 and the regulations of 1 in Table 2.1.2.1.1 and Lines 4. nd 15.6 contained in Table 4.15 | · · · · · · · · · · · · · · · · · · · | | | |
| 4.15.6.38.4 | Maximum number of dwelling units in Buildable Area 'A' 214 identified on Schedule RA5-38 of this Exception | | | | | |
| 4.15.6.38.5 | Maximum number of dwel identified on Schedule RA | ling units in Buildable Area 'B 5-38 of this Exception | 5' 150 | | | |
| 4.15.6.38.6 | | a - apartment zone for all uses 'A' identified on Schedule RA5- | -38 31 505 m ² | | | |
| 4.15.6.38.7 | Maximum gross floor area Buildable Area 'B' identifi this Exception | - | 17 505 m ² | | | |
| 4.15.6.38.8 | | Minimum gross floor area - non-residential allocated to any combination of permitted uses contained in Sentence 4.15.6.38.1800 m² | | | | |
| 4.15.6.38.9 | Maximum gross floor area - non-residential used for any 1 150 m ² combination of permitted uses contained in Sentence 4.15.6.38.1 0 f this Exception | | | | | |
| 4.15.6.38.10 | | Maximum gross floor area - non-residential for all financial institutions contained in Sentence 4.15.6.38.1 of this Exception 300 m ² | | | | |
| 4.15.6.38.11 | Maximum gross floor area combination of restaurant contained in Sentence 4.15 | s and take-out restaurants | 200 m ² | | | |
| 4.15.6.38.12 | | a - non-residential for all media ce 4.15.6.38.1 of this Exception | | | | |

Exception RA5-38 continued on next page

| 4.15.6.38 | Exception: RA5-38 | Map # 07 | 2008 Apri 0308-2011 0174-2017 0111-2019 | MB Order 1 09, 0135-2008, , 0126-2015, 7, 0086-2018, D/LPAT Order ch 09, 0208-2022 |
|--------------|--|--|--|---|
| Exception RA | 5-38 continued from previo | us page | | |
| 4.15.6.38.13 | shall be located on the grout Buildable Area 'A' identified Exception. Any portion of the | nce 4.15.6.38.1 of this Except nd floor within the shaded are ed on Schedule RA5-38 of thi he shaded area not required to s of this Exception may be use | a of s | |
| 4.15.6.38.14 | Minimum landscaped area | | | 25% of the lot area |
| 4.15.6.38.15 | For the purposes of this By- considered one lot | law, all lands zoned RA5-38 | shall be | |
| 4.15.6.38.16 | The lot line abutting Huron front lot line | tario Street shall be deemed to | be the | |
| 4.15.6.38.17 | Minimum setback to underg lot lines | ground parking structures fro | om all | 0.0 m |
| 4.15.6.38.18 | Minimum setback to motor facilities from a front lot lin | vehicle surface parking and lo ne or exterior side lot line | oading | 5.0 m |
| 4.15.6.38.19 | Exception, maximum project | on Schedule RA5-38 of this ction of a canopy or balcony identified on Schedule RA5-3 | 8 | 1.1 m |
| 4.15.6.38.20 | Minimum number of resident parking spaces per one-bedroom1.1condominium apartment dwelling unit1.1 | | | |
| 4.15.6.38.21 | Minimum number of reside condominium apartment dw | nt parking spaces per two-be v elling unit | droom | 1.3 |
| 4.15.6.38.22 | Minimum number of visitor parking spaces per condominium0.19apartment dwelling unit0.19 | | | 0.19 |
| 4.15.6.38.23 | Minimum number of reside dwelling unit | nt parking spaces per retiren | nent | 0.4 |
| 4.15.6.38.24 | area - non-residential for a | ng spaces per 100 m ² gross fl a medical office, retail store, ancial institution, restaurant | | 4.0 |
| 4.15.6.38.25 | In addition to the minimum parking required by this By-law, 20 minimum number of additional parking spaces for lands zoned C4-3 | | | 20 |
| 4.15.6.38.26 | yard abutting Lakeshore Ro | e uses permitted in Exception are permitted with bad East as a temporary use for the date of enactment and pass | or the | |
| 4.15.6.38.27 | All site development plans s of this Exception | shall comply with Schedule R | A5-38 | |

Exception RA5-38 continued on next page

| 4.15.6.38 | Excep | tion: RA5-38 | Map # 07 | By-law: OMB Order 2008 April 09, 0135-2008, 0308-2011, 0126-2015, 0174-2017, 0086-2018, 0111-2019/LPAT Order 2021 March 09, 0208-2022 |
|----------------|--------------------------|---|---|--|
| Exception RA | .5-38 co | ntinued from previo | us page | |
| Section 37 Fir | ancial (| Contribution | | |
| | as ame this Ex (1) | ended, the height and kception shall be perm the owner of the lan agreement with The Mississauga (the Cir facilities, services or in height and density Exception as provid <i>Planning Act</i> , R.S.C | ds zoned RA5-38 entering into Corporation of the City of ty) for the provision of certain r matters in return for the incre y of development granted by t led by section 37(3) of the D. 1990, c.P13; | ded by o an ease his |
| | (2) | zoned RA5-38; and, | | |
| | (3) | zoned RA5-38 of th million dollars to be Lions Park and com | City by the owner of the lands e sum of one (\$1,000,000.00) e applied towards improvemen pliance with all other terms ar reement referred to in paragra | ts to nd |




Schedule RA5-38 Map 07

| 4.15.6.39 | Exception: RA5-39 | Map # 26 | By-law: 0408-2008, 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0208-2022 |
|---------------|--|--|---|
| | one the permitted uses and following uses /regulations | applicable regulations shall be shall apply: | as specified for a RA5 zone |
| Additional Po | ermitted Use | | |
| 4.15.6.39.1 | (1) Townhouse | | |
| Regulations | | | |
| 4.15.6.39.2 | For the purposes of this E considered one lot | y-law, all lands zoned RA5-39 |) shall be |
| 4.15.6.39.3 | The provisions contained in Subsection 2.1.14 of this By-law shall not apply | | |
| 4.15.6.39.4 | The regulations of Lines of this By-law shall not a | 15.2 and 15.3 contained in Tab pply | le 4.15.1 |
| 4.15.6.39.5 | Maximum floor space in | 2.56 | |
| 4.15.6.39.6 | Maximum number of tow | nhouse dwelling units | 18 |
| 4.15.6.39.7 | Minimum amenity area | | 1 120 m ² |
| 4.15.6.39.8 | Minimum setback to unde | rom all 0.0 m | |
| 4.15.6.39.9 | Maximum projection of a canopy, porch or balcony , exclusive of stairs, outside the buildable area identified on Schedule RA5-39 of this Exception, unless otherwise identified on Schedule RA5-39 of this Exception | | |
| 4.15.6.39.10 | Maximum number of resirental apartment dwelling | es per 1.20 | |
| 4.15.6.39.11 | All site development plan of this Exception | s shall comply with Schedule | RA5-39 |


Exception RA5-39 continued on next page

| 4.15.6.39 | Excep | otion: RA: | 5-39 | Map # 26 | By-law: 0408-2008, 0174-2017, 0181-2018/LPAT Order 2019 February 15, 0208-2022 |
|------------------------------|-----------------|---|---|--|---|
| Exception RA Holding Prov | | ontinued f | from previo | bus page | |
| 110iuiig 110v | | 1.12 | 1 1 1 1 1 | 1 10 1 | |
| | part o Map 2 | f the land 26 of Sche | s zoned H-R edule B cont | be removed from the w A5-39 by further amend ained in Part 13 of this I of the following require | ment to By-law, as |
| | (1) | | | site development plan a | |
| | | the City | - | the satisfaction of the C auga (the City), for any r lands: | - |
| | (2) | the sub satisfac | mission of a tion of the C | site development plan, City, for modifications to | the façade of |
| | (3) | deliver | y of an exec | nent building on the lar uted Development Agre satisfactory to the City, i | ement in a |
| | | | | provisions related to the | - |
| | | (3.1) | appropriate all develop a restriction | e phasing and coordination ment on the lands, incluing prohibiting construction Bough Beeches Boulevan | on of ding on access to |
| | | (3.2) | prior to Sit | pration of all requirement e Plan approval and war | ning clauses |
| | | (3.3) | requirement the existin with the ap | in any technical studies its for modifications to t g apartment building , pproved site plan for the | he façade of n accordance |
| | | (3.4) | manageme | oment; nentation of on-site storr nt techniques into the de on of the site works and s | sign and |
| | | (3.5) | landscapin municipal | ent agreement for all programs of the second s | the |
| | | (3.6) | undergrour | intenance agreement for nd storm water storage f rental condominium bui | acility |
| | | (3.7) | such other | phase of development; provisions the City may the development of thes | - |
| | (4) | Works | tory arrange Department | ments with the Transport for the appropriate storr | tation and |
| | (5) | submiss cost est | sion of a sati imate and se | d to service the lands; isfactory preliminary de ecurities for the required on the Rathburn Road I | - |
| | (6) | followi | mission of rendering: acoustic | equired fees and/or secu al barrier; street tree plan ail sign contribution; | |
| | (7) | confirm been m followi services where a collecti | hation that sa ade with the ng: the adeq s (water, san applicable) to on facilities; | atisfactory arrangements Region of Peel with reg uacy and provision of m itary and storm water m o the proposed developm detailed engineering su | ard to the unicipal anagement nent; waste bmission for |
| | | | | ound turning lane; and the reserves and daylight tri | |




Schedule RA5-39 Map 26

| 4.15.6.40 | Exception: RA5-40 | | By-law: 0184-2008, 0308-2011, 0174-2017, OMB Order 2017 November 10, 0181-2018/LPAT Order 2019 February 15 |
|--------------|---|---|--|
| | one the applicable regulations shall apply: | ons shall be as specified for a RA5 | zone except that the |
| Permitted Us | ses | | |
| 4.15.6.40.1 | Lands zoned RA5-40 sha (1) Apartment (2) Townhouse | all only be used for the following: | |
| Regulations | | | |
| 4.15.6.40.2 | The regulations of Lines Table 4.15.1 of this By-l | 6.0, 11.1, 11.2 and 11.3 contained aw shall not apply | in |
| 4.15.6.40.3 | Minimum number of dwelling units | | 212 |
| 4.15.6.40.4 | Maximum number of dw | 668 | |
| 4.15.6.40.5 | Maximum floor space i r | 3.93 | |
| 4.15.6.40.6 | Minimum resident park i condominium apartment | 1.13 | |
| 4.15.6.40.7 | Minimum resident park i condominium apartment | 1.27 | |
| 4.15.6.40.8 | Minimum visitor parkin dwelling unit and townh | 0.15 | |
| 4.15.6.40.9 | Minimum setback from a finished grade, inclusive stairwells, to any lot line | elow 0.3 m | |
| 4.15.6.40.10 | Maximum encroachment limited to eaves, parapet identified on Schedule R | | |
| 4.15.6.40.11 | Maximum encroachment of patios, planters and fencing into a landscaped buffer abutting Mavis Road and Eglinton Avenue West | | 3.2 m |
| 4.15.6.40.12 | Maximum encroachment of patios and planters into a landscaped buffer and building setback abutting Courtney Valley Road | | 3.5 m |
| 4.15.6.40.13 | Minimum percentage of total required amenity area to be provided in one contiguous area | | 22% |
| 4.15.6.40.14 | All site development plans shall comply with Schedule RA5-40 of this Exception | | 5-40 |



Map 30

| 4.15.6.41 | Exception: RA5-41 | Map # 37E | ~ | OMB Order gust 12, 0174-2017 |
|--------------|---|------------------------------|---------------------|---------------------------------|
| | one the permitted uses and ap e following uses /regulations s | | as specified | d for a RA5 zone |
| Regulations | | | | |
| 4.15.6.41.1 | The provisions contained in Subsection 2.1.14 of this By-law shall not apply | | | |
| 4.15.6.41.2 | The regulations of Lines 15.5 and 15.6 in Table 4.15.1 contained in Subsection 4.15.1 of this By-law shall not apply | | | |
| 4.15.6.41.3 | Maximum floor space inde | ex - apartment zone | | 7.5 |
| 4.15.6.41.4 | Maximum height of mechanical or architectural appurtenances located on the roof of an apartment | | | 12.0 m |
| 4.15.6.41.5 | The lot line abutting Eglint be the front lot line | ton Avenue West shall be dee | emed to | |
| 4.15.6.41.6 | Minimum setback from a parking structure to any lot line | | | 0.0 m |
| 4.15.6.41.7 | Maximum encroachment of a staircase or landing into a required front yard , provided that each shall have a maximum width of 3.0 m | | | 4.8 m |
| 4.15.6.41.8 | Maximum encroachment of a staircase or landing into any other required yard , provided that each shall have a maximum width of 3.0 m | | | 3.0 m |
| 4.15.6.41.9 | Maximum encroachment of a canopy into a required front yard , provided that it shall have a maximum width of 8.0 m | | 4.8 m | |
| 4.15.6.41.10 | Minimum landscaped area | | 24% of the lot area | |
| 4.15.6.41.11 | Minimum depth of a landscaped buffer abutting a lot line that is a street line | | 3.0 m | |
| 4.15.6.41.12 | For the purpose of this Exception, a landscaped buffer may contain canopies, pavers, bicycle racks, stairs and landings, in addition to stairs and vents appurtenant to a parking structure | | | |
| 4.15.6.41.13 | Minimum amenity area | | | 2 400 m ² |
| 4.15.6.41.14 | Minimum number of resident parking spaces per one-bedroom and two-bedroom condominium apartment dwelling unit | | 1.1 | |
| 4.15.6.41.15 | Minimum number of resident parking spaces per three-bedroom condominium apartment dwelling unit | | 1.2 | |
| 4.15.6.41.16 | Minimum number of visitor parking spaces per condominium apartment dwelling unit | | 0.15 | |
| 4.15.6.41.17 | All site development plans shall comply with Schedule RA5-41 of this Exception | | | |




| 4.15.6.42 | Exception: RA5-42 | Map # 37E | By-law: 0275-2012, 0243-2014, 0174-2017, 0111-2019/LPAT Order 2021 March 09, 0276-2021 | | |
|--------------|--|--|---|--|--|
| | e following uses/regulations | | ll be as specified for a RA5 zone | | |
| | | | | | |
| 4.15.6.42.1 | Retail Store Restaurant Take-out Restaurant Veterinary Clinic Service Establishment Financial Institution Medical Office - Restricted Office | | | | |
| Regulations | | | | | |
| 4.15.6.42.2 | The provisions of Lines 1.0 and 3.0 contained in Table 2.1.2.1.1, Subsection 2.1.14, Article 4.1.15.1 and the regulations of Lines 4.0, 13.6, 15.4, and 15.5 contained in Table 4.15.1 of this By-law shall not apply | | | | |
| 4.15.6.42.3 | Dwelling units shall not be permitted on the first storey within 10.0 m of the lot line abutting Hurontario Street | | | | |
| 4.15.6.42.4 | Indoor amenity areas within an apartment , long-term care building or retirement building shall not be permitted on the first storey within 10.0 m of the lot line abutting Hurontario Street | | | | |
| 4.15.6.42.5 | The uses contained in Sentence 4.15.6.42.1 of this Exception shall not be permitted above the third storey | | | | |
| 4.15.6.42.6 | The uses contained in Sentence 4.15.6.42.1 of this Exception shall only be located within a building , structure or part thereof, used for an apartment , long-term care building , retirement building , or any combination thereof | | | | |
| 4.15.6.42.7 | Maximum number of dwelling units on all lands zoned RA5-42 1 395 | | | | |
| 4.15.6.42.8 | Maximum floor space index - apartment zone on all lands 7.6 zoned RA5-42 7.6 | | | | |
| 4.15.6.42.9 | Minimum gross floor area - non-residential used for uses contained in Sentence 4.15.6.42.1 of this Exception per building in Area 'C' identified on Schedule RA5-42 of this Exception: | | | | |
| | Building | Minimum Gross Floor Non-Residential | Area - | | |
| | 1 | 0 | | | |
| | 2 including six storey podium | 3 000 m ² | | | |
| | 3 including eight storey podium | 5 000 m ² | | | |
| 4.15.6.42.10 | Maximum gross floor ar each storey above eight s | rea - apartment zone per s | storey for 750 m^2 | | |

Exception RA5-42 continued on next page

| 4.15.6.42 | Exception: RA5-42 | Map # 37E | By-law: 0275-2012, 0243-2014, 0174-2017, 0111-2019/LPAT Order 2021 March 09, 0276-2021 | |
|--------------|--|---|---|--|
| Exception RA | 5-42 continued from previo | us page | | |
| 4.15.6.42.11 | calculation of height for an and retirement building sh architectural appurtenances, provided that the maximum | provisions of this By-law, the apartment, long-term care b hall be exclusive of mechanical , located on the roof of a build height of the top of such elem the height limit otherwise appl | or ing eents is | |
| 4.15.6.42.12 | calculation of height of a po long-term care building an exclusive of any stairwell or amenity space and located of the maximum height of the | 4.15.6.42.31 of this Exception, odium associated with an apart ad retirement building shall b r stair enclosures used to acces on the roof of a building provid top of such stair enclosures is e height limit otherwise applica | t ment , e s ded that no | |
| 4.15.6.42.13 | For the purposes of this By- considered one lot | law, all lands zoned RA5-42 s | hall be | |
| 4.15.6.42.14 | maximum projection of a ba | 1.15.6.42.31 of this Exception, alcony located above the first st st face or faces of the building | | |
| 4.15.6.42.15 | | 4.15.6.42.31 of this Exception, anopy measured from the outer building wall of a podium | 2.5 m | |
| 4.15.6.42.16 | Notwithstanding Sentence 4 maximum projection of arcl outermost face or faces of th | | 2.5 m | |
| 4.15.6.42.17 | Minimum number of resider and two-bedroom apartmen | nt parking spaces per one-bed t dwelling units | Iroom 1.1 | |
| 4.15.6.42.18 | Minimum number of resider apartment dwelling unit | nt parking spaces per three-be | edroom 1.2 | |
| 4.15.6.42.19 | Minimum number of visitor dwelling unit | parking spaces per apartmen | t 0.15 | |
| 4.15.6.42.20 | | a shared parking arrangement r of required visitor/non-resident the following: | • | |
| | the greater of | | | |
| | 0.15 visitor spaces per unit | | | |
| | or | | | |
| | Parking required for all non and take-out restaurant | -residential uses , except restau | ırant | |
| | included in the above shared | take-out restaurant shall not d parking arrangement and sha n applicable regulations contain | ll be | |
| 4.15.6.42.21 | area - non-residential for u | Minimum number of parking spaces per 100 m ² gross floor area - non-residential for uses identified in Sentence 4.15.6.42.1 of this Exception, except Clauses 4.15.6.42.1(2) and | | |
| 4.15.6.42.22 | | arking structure completely b ne within Areas 'A' and 'B' ider Exception | | |

Exception RA5-42 continued on next page

| 4.15.6.42 | Exception: RA5-42 | Map # 37E | 0243-201 0111-201 | 0275-2012, 4, 0174-2017, 9/LPAT Order rch 09, 0276-2021 |
|---------------------|---|--|----------------------|--|
| Exception RA | 5-42 continued from previo | us page | | |
| 4.15.6.42.23 | | arking structure completely be ne within Area 'C' identified on acception | elow | 1.0 m |
| 4.15.6.42.24 | external access stairwells pr structure completely below | 4.15.6.42.31 of this Exception, roviding access to a parking 7 finished grade may be permitt in Area 'C' adjacent to Little Cr | | |
| 4.15.6.42.25 | Maximum length of a streetwall that may be set back beyond the build-to-area identified on Schedule RA5-42 of this Exception up to a maximum of 7.5 m | | | 20% |
| 4.15.6.42.26 | | Maximum length of a streetwall that may be set back beyond the build-to-area identified on Schedule RA5-42 of this Exception | | |
| 4.15.6.42.27 | Minimum landscaped area | L | | 25% of lot area |
| 4.15.6.42.28 | Minimum vertical depth | | | 1.0 m |
| 4.15.6.42.29 | | f a building , structure or part established grade , that project lding | s from | |
| 4.15.6.42.30 | | landscaped soft area between ands measured to the top of the parking structure | | |
| 4.15.6.42.31 | All site development plans s of this Exception | shall comply with Schedule RA | .5-42 | |



Map 37E

| 4.15.6.43 | Exception: RA5 | 5-43 Map # | ± 37E | By-law: 0275-2012, 0174-2017, 0224-2017, 0181-2018/LPAT Order 2019 February 15, 0050-2021, 0111-2019/ LPAT Order 2021 March 09 |
|---------------|---|---|------------------------------------|---|
| | | uses and applicabl egulations shall app | | all be as specified for a RA5 zone |
| Additional Pe | ermitted Uses | | | |
| 4.15.6.43.1 | (4) Service(5) Financi | | d | |
| Regulations | | | | |
| 4.15.6.43.2 | Subsections 2.1 | of Lines 1.0 and 3. .14 and 4.1.15 and ned in Table 4.15.1 | the regulations | of Lines 13.6 |
| 4.15.6.43.3 | Maximum num | ber of dwelling un | its on all lands | zoned RA5-43 874 |
| 4.15.6.43.4 | For the purpose considered one | s of this By-law, al lot | l lands zoned R | A5-43 shall be |
| 4.15.6.43.5 | shall only be pe thereof, used fo | ned in Sentence 4. rmitted within a bu r an apartment , lo lding , or any comb | uilding, structu ng-term care b | re, or part |
| 4.15.6.43.6 | | in Sentence 4.15.6 l above the third st | | ception shall |
| 4.15.6.43.7 | | shall not be permit t line abutting Hur | | storey within |
| 4.15.6.43.8 | building or reti | areas within an ap rement building, within 10.0 m of th et | shall not be per | mitted on |
| 4.15.6.43.9 | | space index - apa d 'A2' identified or | | |
| 4.15.6.43.10 | Maximum floor zoned RA5-43 | • space index - apa | ertment zone fo | or all lands 4.8 |
| 4.15.6.43.11 | contained in Ser | floor area - non- ntence 4.15.6.43.1 ed on Schedule RA | of this Exception | on in Areas 'A1' |
| | Area | Minimum Gross Fl Area - Non-Residen | | |
| | A1 | 230 m ² | | |
| | A2 | 900 m ² | | |
| 4.15.6.43.12 | for each storey | s floor area - apar above six storeys 43 of this Exceptio | n Area 'A2' ide | - |

Exception RA5-43 continued on next page


| 4.15.6.43 | Exception: F | RA5-43 | Map # 3 | 37E | | By-law: 0275-2012, 0174-2017, 0224-2017, 0181-2018/LPAT Order 2019 February 15, 0050-2021, 0111-2019/LPAT Order 2021 March 09 |
|--------------|--|--|-------------------------------|----------------------------------|-------------------------------|--|
| Exception RA | 5-43 continu | ed from pre | vious next | page | | |
| 4.15.6.43.13 | Minimum and podium on a identified or with the foll | all buildings n Schedule R | and structu | ires in Area | is 'A1' and | 1 'A2' |
| | Area | Minimum Building Height | Maximum Building Height | Minimum Height of a Podium | Maximu Height of Podium | a |
| | A1 | 5 storeys | 34 storeys | 1 storeys | 4 storey | s |
| | A2 | 10 storeys | 35 storeys | 1 storeys | 6 storey | s |
| 4.15.6.43.14 | Minimum se on Schedule | | | | wise iden | tified 3.0 m |
| 4.15.6.43.15 | Minimum se Schedule RA | etback from a A5-43 of this | | ad identifie | ed on | 3.0 m |
| 4.15.6.43.16 | Minimum se below finish on Schedule | ed grade to | a street line | in Area 'A | | 0.0 m |
| 4.15.6.43.17 | Minimum se below finish on Schedule | ed grade to | a street line | in Area 'A | | 1.0 m ed |
| 4.15.6.43.18 | Minimum v | ertical depth | | | | 1.0 m |
| 4.15.6.43.19 | A building identified or | | | | | A1' |
| 4.15.6.43.20 | Notwithstan maximum o beyond the l Schedule RA | f 20% of the | length of a in Area 'A | streetwall : 1' identified | may be se on | t back |
| 4.15.6.43.21 | Notwithstan Exception, a be set back l Schedule RA | a maximum of the b | of 5% of the ouild-to-line | length of a | streetwa | ll may |
| 4.15.6.43.22 | maximum e | Schedule RA5-43 of this Exception Notwithstanding Sentence 4.15.6.43.44 of this Exception, maximum encroachment of a balcony located above the first storey into a required yard | | | , 2.5 m | |
| 4.15.6.43.23 | Notwithstanding Sentence 4.15.6.43.44 of this Exception, maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects | | | tstorey | | |
| 4.15.6.43.24 | | Notwithstanding Sentence 4.15.6.43.44 of this Exception, maximum encroachment of a canopy into a required yard | | | | |
| 4.15.6.43.25 | Notwithstan maximum p face or faces | rojection of | a canopy me | | | |
| 4.15.6.43.26 | Notwithstan maximum er required ya | ncroachment | | | | , 2.5 m |

Exception RA5-43 continued on next page

| 4.15.6.43 | Exception: RA5-43 | Map # 37E | 0181-2018 2019 Febru | , 0224-2017, /LPAT Order aary 15, 0050-2021, /LPAT Order |
|--------------|---|--|------------------------------------|---|
| Exception RA | 5-43 continued from previou | s next page | | |
| 4.15.6.43.27 | Notwithstanding Sentence 4. maximum projection of archithe outermost face or faces of architectural elements project | tectural elements measured f the building from which t | from | 2.5 m |
| 4.15.6.43.28 | Private road or driveway ac Salishan Circle | ccess shall not be permitted | to | |
| 4.15.6.43.29 | Minimum number of resident and two-bedroom condomini | | | 1.1 |
| 4.15.6.43.30 | Minimum number of resident condominium apartment dwe | | bedroom | 1.2 |
| 4.15.6.43.31 | Minimum number of visitor j apartment dwelling unit | parking spaces per condom | ninium | 0.15 |
| 4.15.6.43.32 | For the visitor component, a be used for the calculation of parking in accordance with the | required visitor/non-resider | | |
| | the greater of | | | |
| | 0.15 visitor spaces per unit | | | |
| | or Destring a series of four all as a series | | 4 | |
| | Parking required for all non- and take-out restaurant | esidential uses, except rest | aurant | |
| | Parking for restaurant and t aincluded in the above shared provided in accordance with Table 3.1.2.2 of this By-law | parking arrangement and sh | nall be | |
| 4.15.6.43.33 | Minimum number of parking gross floor area - non-resid Sentence 4.15.6.43.1, except 4.15.6.43.1(3) of this Excepti | ential for uses contained in Clauses 4.15.6.43.1(2) and | | 4.3 |
| 4.15.6.43.34 | Minimum setback from a sur Hurontario Street | face parking space to | | 25.0 m |
| 4.15.6.43.35 | Minimum landscaped area | | | 25% of lot area |
| 4.15.6.43.36 | Main front entrance of buil identified on Schedule RA5-4 a street | 8 | | |
| 4.15.6.43.37 | Minimum above grade separa identified on Schedule RA5-4 of the building above 10 sto | 43 of this Exception for that | | 26.5 m |
| 4.15.6.43.38 | Notwithstanding any other pr calculation of height for apa retirement buildings shall b architectural appurtenances, I provided that the maximum H no higher than 9.0 m above th | rtment, long-term care and e exclusive of mechanical of located on the roof of a buil neight of the top of such ele | d or ding ments is | |
| 4.15.6.43.39 | Notwithstanding Sentence 4. external access stairwells pro structure completely below but not within a required yar Watergarden Drive | viding access to a parking finished grade may be perm | itted | |

| Exception | RA5-43 | continued | on i | next page |
|-----------|--------|-----------|------|-----------|
|-----------|--------|-----------|------|-----------|

| 4.15.6.43 | Exception: RA5-43 | Map # 37E | By-law: 0275-2012, 0174-2017, 0224-2017, 0181-2018/LPAT Order 2019 February 15, 0050-2021, 0111-2019/LPAT Order 2021 March 09 | |
|--------------|---|---------------------|--|--|
| Exception RA | A5-43 continued from previou | ıs next page | | |
| 4.15.6.43.40 | Notwithstanding Sentence 4.15.6.43.44 of this Exception, the calculation of height of a podium associated with apartment , long-term care and retirement buildings shall be exclusive of any stairwell or stairs enclosure used to access amenity space and located on the roof of a building provided that the maximum height of the top of such stairwell or stairs enclosure is no higher than 3.5 m above the height limit otherwise applicable | | | |
| 4.15.6.43.41 | "Height of a Podium" means the vertical distance between the established grade and the highest point of the roof surface of the podium | | | |
| 4.15.6.43.42 | "Podium" means the low-rise base of a building or structure located at or above established grade , that projects from the building | | | |
| 4.15.6.43.43 | "Vertical Depth" means the soft landscaped area between the finished grade level of the lands measured to the top of the roof membrane of a below grade parking structure | | | |
| 4.15.6.43.44 | All site development plans sl of this Exception | hall comply with Sc | hedule RA5-43 | |



Schedule RA5-43 Map 37E

| 4.15.6.44 | Exception: RA5-44 | Map # 36W | By-law: 0088-2013/OMB Order 2013 November 18, 0174-2017, 0187-2020, 0111-2019/LPAT Order 2021 March 09, 0144-2022 | | | | |
|--------------|---|--|---|--|--|--|--|
| | cone the permitted uses and a e following uses /regulations s | oplicable regulations shall be a hall apply: | as specified for a RA5 zone | | | | |
| Additional P | ermitted Uses | | | | | | |
| 4.15.6.44.1 | Office Medical Office - F Retail Store Financial Instituti Restaurant Take-out Restaur Service Establishing | ion ant | | | | | |
| Regulations | | | | | | | |
| 4.15.6.44.2 | |) and 3.0 in Table 2.1.2.1.1 con on 2.1.14 and Article 4.1.15.1 | | | | | |
| 4.15.6.44.3 | For the purposes of this By considered one lot | r-law, all lands zoned RA5-44 | shall be | | | | |
| 4.15.6.44.4 | Maximum number of dwel | Maximum number of dwelling units on all lands zoned RA5-44 1 265 | | | | | |
| 4.15.6.44.5 | shall only be located within | ence 4.15.6.44.1 of this Excep n a building , structure or part ng-term care building , retire on thereof | thereof | | | | |
| 4.15.6.44.6 | | area - non-residential used f .6.44.1 of this Exception, on a | | | | | |
| 4.15.6.44.7 | 0 | Maximum total gross floor area - non-residential used for uses 6300m^2 contained in Sentence 4.15.6.44.1 of this Exception, on all lands | | | | | |
| 4.15.6.44.8 | | 4.15.6.44.1(1) and 4.15.6.44.1 permitted above the third stor | | | | | |
| 4.15.6.44.9 | | 4.15.6.44.1(3) to 4.15.6.44.1(7 nitted above the second storey | | | | | |
| 4.15.6.44.10 | The lot line abutting Huron front lot line | ntario Street shall be deemed to | b be the | | | | |
| 4.15.6.44.11 | Apartment dwelling units first storey | shall not be permitted on the | | | | | |
| 4.15.6.44.12 | care building or retireme | essory to an apartment , long-t nt building , shall not be permi 0.0 m of the lot line abutting | | | | | |
| 4.15.6.44.13 | Minimum floor space inde zoned RA5-44 | Minimum floor space index - apartment zone on all lands2.9 | | | | | |
| 4.15.6.44.14 | Maximum floor space ind zoned RA5-44 | ex - apartment zone on all lar | nds 7.26 | | | | |

Exception RA5-44 continued on next page


| 4.15.6.44 | Exception: | RA5-44 | Map # 3 | Order 201 0174-201 0111-2019 | | By-law: 0088-2013/OMB Order 2013 November 18, 0174-2017, 0187-2020, 0111-2019/LPAT Order 2021 March 09, 0144-2022 |
|--------------|---|---|-------------------------------------|------------------------------------|-----------------------------------|---|
| Exception RA | 5-44 continu | ied from pre | vious page | | | |
| 4.15.6.44.15 | of all build | and maximun lings and stru A5-44 of this | ictures in A | reas 'A' to ' | D' identifie | |
| | Area | Minimum Building Height | Maximum Building Height | Minimum Height of a Podium | Maximum Height of a Podium | |
| | А | 6 storeys and 20.0 m | 33 storeys and 104.0 m | 3 storeys and 10.0 m | 6 storeys and 20.0 m | |
| | В | 3 storeys and 10.0 m | 6 storeys and 20.0 m | 3 storeys and 10.0 m | 6 storeys and 20.0 m | |
| | С | 6 storeys and 20.0 m | 38 storeys and 123.0 m | 3 storeys and 10.0 m | 6 storeys and 20.0 m | |
| | D | 6 storeys and 20.0 m | 23 storeys and 75.0 m | 3 storeys and 10.0 m | 6 storeys and 20.0 m | |
| 4.15.6.44.16 | | or structure ne identified | | | | otion |
| 4.15.6.44.17 | Exception, streetwall | Notwithstanding Sentences 4.15.6.44.16 and 4.15.6.44.43 of this Exception, a maximum of 35% of the length of a northerly streetwall may be set back beyond the applicable build-to-line identified on Schedule RA5-44 of this Exception, up to a | | | | , |
| 4.15.6.44.18 | Exception, be set back | Notwithstanding Sentences 4.15.6.44.16 and 4.15.6.44.17 of this Exception, a maximum of 5% of the length of a streetwall may be set back beyond the applicable build-to-line identified on Schedule RA5-44 of this Exception | | | | may |
| 4.15.6.44.19 | building, s | setback from tructure or p ', 'B' and 'D' i ion | art thereof, | located abo | ve the pod | 2.5 m |
| 4.15.6.44.20 | setback fro | height of the m the fourth s d/or sixth sto | storey of the | e exterior fa | ice of a poo | lium to |
| 4.15.6.44.21 | | t entrances s | | | | |
| 4.15.6.44.22 | Minimum a | above grade s | eparation be | etween buil | dings for t | nat 28.0 m |
| 4.15.6.44.23 | portion of the building above six storeys Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects | | | | | |
| 4.15.6.44.24 | | vertical depth | | | | 1.0 m |
| 4.15.6.44.25 | An at grade shall not be | e driveway , a e permitted be eof and the lo | iisle, parkin etween a wa | ll of a build | ling or stru | ce |
| 4.15.6.44.26 | <u>^</u> | setback from | | - | | 25.0 m |

Exception RA5-44 continued on next page

| 4.15.6.44 | Exception: RA5-44 | Map # 36W | Order 20 0174-201 0111-201 | 0088-2013/OMB 13 November 18, 7, 0187-2020, 9/LPAT Order rch 09, 0144-2022 |
|--------------|--|---|----------------------------------|--|
| Exception RA | 5-44 continued from previo | us page | | |
| 4.15.6.44.27 | Minimum number of reside two-bedroom and three-bed dwelling units | | | 0.80 |
| 4.15.6.44.28 | Minimum number of parki area - non-residential for u of this Exception | | | 3.0 |
| 4.15.6.44.29 | Minimum number of visitor apartment dwelling unit | r parking spaces per cond | lominium | 0.15 |
| 4.15.6.44.30 | For the visitor component, a used for the calculation of r parking in accordance with | equired visitor/non-reside | | |
| | the greater of | | | |
| | 0.15 visitor spaces per unit | | | |
| | or | | | |
| | Parking required for all non-residential uses , except restaurant and take-out restaurant | | | |
| | Restaurant and take-out r above shared parking arrang accordance with applicable of this By-law | gement and shall be provi | ded in | |
| 4.15.6.44.31 | Minimum landscaped area | l | | 12% of the lot area |
| 4.15.6.44.32 | A walkway is permitted wit Hurontario Street | hin a landscaped buffer | abutting | |
| 4.15.6.44.33 | A walkway, stairs and venti are permitted in a landscap property line | | | |
| 4.15.6.44.34 | Minimum amenity area | | | 4.0 m ² per dwelling unit |
| 4.15.6.44.35 | For the purposes of this Exe Schedule RA5-44 of this Ex considered a streetwall | | | |
| 4.15.6.44.36 | Notwithstanding Sentences Exception, a maximum of 4 abutting Hurontario Street r build-to-line identified on S up to a maximum of 7.5 m | 5% of the length of a stre nay be set back beyond th | eetwall ne applicable | |
| 4.15.6.44.37 | Notwithstanding Sentences Exception, a maximum of 1 abutting Armdale Road may build-to-line identified on S up to a maximum of 7.5 m | 00% of the length of a str y be set back beyond the a | reetwall applicable | |
| 4.15.6.44.38 | Notwithstanding Sentences Exception, a maximum of 5 abutting Belbin Street may build-to-line identified on 8 up to a maximum of 7.5 m | 0% of the length of a stre be set back beyond the ap | e etwall plicable | |

Exception RA5-44 continued on next page

| 4.15.6.44 | Exception: RA5-44 | Map # 36W | By-law: 0088-2013/OMB Order 2013 November 18, 0174-2017, 0187-2020, 0111-2019/LPAT Order 2021 March 09, 0144-2022 | | |
|--------------|---|--|--|--|--|
| Exception RA | 5-44 continued from previ | ous page | | | |
| 4.15.6.44.39 | Minimum setback from the building , structure or par in Area 'C' identified on So | t thereof, located above th | ne podium | | |
| 4.15.6.44.40 | "Podium" means the base above established grade , | | | | |
| 4.15.6.44.41 | "Height of a Podium" mea established grade and the the podium | | | | |
| 4.15.6.44.42 | "Vertical Depth" means the distance between the finished grade level of the lands measured to the top of the roof membrane of a below grade parking structure | | | | |
| 4.15.6.44.43 | All site development plans of this Exception | All site development plans shall comply with Schedule RA5-44 of this Exception | | | |
| Holding Prov | ision | | | | |
| | affordable housing <i>Planning Act</i> , as it Schedule 12 to the came into force in City of Mississaug affordable housing contribution per un above 1 077 units (| RA5-44 by further amend ontained in Part 13 of this n of the following requires suted agreement for the pr , pursuant to section 37 of read on the day before se <i>More Homes, More Choi</i> a form and on terms satisf a ("City"), consisting of a contribution of either a c it of additional units prop (up to nine units) or 5% of | ment to s By-law, as ments: rovision of f the ction 9 of <i>ces Act, 2019</i> factory to the n ash posed on site f additional | | |
| | (mix of one and tw with a not-for profi additional units pro- nine units), or that be made; (2) such additional cor to be applicable ba 07-03-01, will be s agreement in a forr City; and, (3) delivery of an exect | site above 1 077 units (up ro-bedroom unit types), or it housing provider to deli- posed on site above 1 07 a combination of these co- ntributions to Clause (1) if sed on the City's Bonus Z ubject to the terms of the n and on terms satisfactor suted development agreen satisfactory to the City. | r a partnership over 5% of 7 units (up to partributions f determined foning Policy section 37 ry to the | | |



Schedule RA5-44 Map 36W

| 4.15.6.45 | Exception: RA5-45 Ma | | By-law: 0103-2017, 0174-2017 |
|---------------|--|------------------------------------|---------------------------------|
| | one the permitted uses and application following uses /regulations shall a | | specified for a RA5 zone |
| Additional Pe | rmitted Use | | |
| 4.15.6.45.1 | (1) Semi-Detached | | |
| Regulations | | | |
| 4.15.6.45.2 | Minimum lot frontage | | 25.0 m |
| 4.15.6.45.3 | Maximum floor space index - a | partment zone | 4.3 |
| 4.15.6.45.4 | Maximum height | | 15 storeys |
| 4.15.6.45.5 | Maximum number of apartment | dwelling units | 69 |
| 4.15.6.45.6 | Maximum number of semi-deta | ched dwelling units | 2 |
| 4.15.6.45.7 | Minimum front yard | | 4.0 m |
| 4.15.6.45.8 | Minimum exterior side yard | | 2.9 m |
| 4.15.6.45.9 | Minimum interior side yard to | a semi-detached | 2.9 m |
| 4.15.6.45.10 | Minimum interior side yard to | an apartment | 3.2 m |
| 4.15.6.45.11 | Minimum rear yard | | 6.9 m |
| 4.15.6.45.12 | Maximum projection of a balco measured from the outermost fa which the balcony projects | | |
| 4.15.6.45.13 | Maximum projection of a balco measured from the outermost fa which the balcony projects into | ce or faces of the building | |
| 4.15.6.45.14 | Stairs, landings, planters, canop racks shall be permitted to encro landscaped buffer | | |
| 4.15.6.45.15 | Minimum separation between b | uildings | 5.9 m |
| 4.15.6.45.16 | Minimum number of resident p | arking spaces per dwellin | g unit 1.0 |
| 4.15.6.45.17 | Minimum number of visitor par | king spaces per dwelling | unit 0.15 |
| 4.15.6.45.18 | Minimum setback from a parki finished grade to any lot line | ng structure completely b | below 0.2 m |
| 4.15.6.45.19 | Minimum landscaped area | | 30% |
| 4.15.6.45.20 | Minimum depth of a landscape High Street East | d buffer abutting | 4.0 m |
| 4.15.6.45.21 | Minimum depth of a landscape | d buffer abutting Ann Stre | eet 2.9 m |
| 4.15.6.45.22 | Minimum depth of a landscape lot line | d buffer along an interior | • side 0.0 m |
| 4.15.6.45.23 | Minimum depth of a landscape | d buffer along a rear lot l | ine 0.5 m |
| 4.15.6.45.24 | Minimum amenity area | | 340 m ² |

Exception RA5-45 continued on next page

| 4.15.6.45 | Excep | otion: RA5-45 | Map # 08 | By-law: 0103-2017, 0174-2017 | | | |
|--------------|---|---|---|---------------------------------|--|--|--|
| Exception R | Exception RA5-45 continued from previous page | | | | | | |
| Section 37 F | inancial | Contribution | | | | | |
| | as am | ended, the height and xception shall be perr | f the <i>Planning Act</i> R.S.O, density of development pr nitted where: nds zoned RA5-45 enters | rovided by | | | |
| | | agreement with The Corporation of the City of Mississauga (the City) for the provision of certain facilities, services or matters in return for the increased height and density of the development; | | | | | |
| | (2) | (2) the agreement is registered on title to the lands zoned RA5-45; | | | | | |
| | (3) | the owner pays the toward the redevel Park and/or renova and/or the installat | e City the sum of \$300,000 opment of the Port Credit ations to the West Bank To ion of a commemorative s ory of Port Credit at J.J. Pl | Cenotaph otem Pole statue | | | |


| 4.15.6.46 | Exception: RA5-46 | Map # 22 | By-law: 0155-2016/ OMB Order 2017 January 11, 0174-2017, 0179-2018, 0125-2022, 0208-2022 | |
|---------------|---|--|---|--|
| | one the permitted uses and a following uses /regulations | | all be as specified for a RA5 zone | |
| Additional Pe | ermitted Uses | | | |
| 4.15.6.46.1 | (1) Day Care(2) Retail Store | | | |
| Regulations | | | | |
| 4.15.6.46.2 | The provisions contained 4.1.15.1 and the regulation contained in Table 4.15.1 | ns of Lines 11.1, 15.2 an | d 15.3 | |
| 4.15.6.46.3 | For the purposes of this By-law, all lands zoned RA5-46 shall be considered one lot | | | |
| 4.15.6.46.4 | The uses contained in Ser shall only be located with used for an apartment , lo building , or any combinat | in a building , structure ng-term care building, | or part thereof, | |
| 4.15.6.46.5 | Maximum total number of identified on Schedule RA | | lable Area 'A' 350 | |
| 4.15.6.46.6 | Maximum total number of dwelling units in Buildable Area 'B' 411 identified on Schedule RA5-46 of this Exception | | | |
| 4.15.6.46.7 | Maximum total number of dwelling units in Buildable Areas 614 'C1' to 'C4' identified on Schedule RA5-46 of this Exception | | | |
| 4.15.6.46.8 | Maximum floor space index - apartment zone, measured over8.2the lot area prior to road widening(s) | | | |
| 4.15.6.46.9 | Maximum total gross floo Buildable Area 'A' identi this Exception | - | | |
| 4.15.6.46.10 | Maximum total gross floo Buildable Area 'B' identi- this Exception | - | | |

Exception RA5-46 continued on next page

| 4.15.6.46 | Exception | on: RA5-46 | Map | # 22 | | OMB O 0174-20 | 0155-2016/ rder 2017 January 11, 17, 0179-2018, 22, 0208-2022 |
|--------------|--|--|---------------------------------|----------------------------------|--------------------------------|------------------|--|
| Exception RA | 5-46 con | tinued from | previous pag | ge | | | |
| 4.15.6.46.11 | Buildat | Maximum total gross floor area - apartment zone in42 500 m²Buildable Areas 'C1' to 'C4' identified on Schedule RA5-4660 fthis Exception | | | | | |
| 4.15.6.46.12 | v | care shall only lable Area 'A ception | - | | • | 7 | |
| 4.15.6.46.13 | | l store shall o ole Areas 'C1' ception | | | | | |
| 4.15.6.46.14 | Maximu | um gross floo | r area - non | -residential | for a day c | are | 510 m ² |
| 4.15.6.46.15 | Minimu | ım floor area | for bicycle | parking | | | 900 m ² |
| 4.15.6.46.16 | of all bu identifie | um and maxim uildings and s ed on Schedul e following: | tructures in | Buildable A | reas 'A' to | 'C4' | |
| | Area | Maximum Building Height | Maximum Tower Floor Plate | Minimum Height of a Podium | Maximun Height of Podium | | |
| | A | 118.0 m and 35 storeys | 750 m ² | 9.1 m and 2 storeys | 14.0 m and 3 storeys | | |
| | В | 134.0 m and 40 storeys | 750 m ² | 9.1 m and 2 storeys | 14.0 m and 3 storeys | | |
| | C1 | 176.4 m and 50 storeys | 805.5 m ² | | | | |
| | C2 | 42.0 m and 12 storeys | | | | | |
| | C3 | | | | 20.3 m and 5 storeys | | |
| | C4 | | | | 16.4 m and 4 storeys | | |
| 4.15.6.46.17 | balcony | um encroachn y located on th d that each sh | ne first store | y, staircase, 1 | anding or a | | 2.0 m for a porch , landing or awning, and a further 1.0 m for a staircase |
| 4.15.6.46.18 | measure | um projection ed from the ou he balcony pr | itermost face | | | | 1.53 m |
| 4.15.6.46.19 | floor pla | Minimum above grade separation distance between the tower22.5 mfloor plate, excluding balconies, in Buildable Areas 'A' and 'B'22.5 midentified on Schedule RA5-46 of this Exception22.5 m | | | | | 22.5 m |
| 4.15.6.46.20 | Minimum above grade separation distance between the tower22.5 mfloor plate in Buildable Areas 'B' and 'C1' identified onSchedule RA5-46 of this Exception | | | | | | |
| 4.15.6.46.21 | | Minimum setback from surface parking spaces or aisles to a 1.5 m street line | | | | | 1.5 m |
| 4.15.6.46.22 | | Minimum number of resident parking spaces per studio 0.8 dwelling unit 0.8 | | | | | |
| 4.15.6.46.23 | | m number of | resident par | king spaces | per one-be | droom | 0.9 |
| 4.15.6.46.24 | Minimu dwellin | im number of g unit | resident par | king spaces | per two-be | droom | 1.0 |


Exception RA5-46 continued on next page

| 4.15.6.46 | Exception: RA5-46 | Map # 22 | 0174-2017 | 155-2016/ er 2017 January 11, , 0179-2018, , 0208-2022 |
|----------------|---|---|---|---|
| Exception RA | 5-46 continued from previou | s page | | |
| 4.15.6.46.25 | Minimum number of resident dwelling unit | t parking spaces per three-l | bedroom | 1.3 |
| 4.15.6.46.26 | Minimum number of visitor J dwelling unit | parking spaces per apartme | ent | 0.15 |
| 4.15.6.46.27 | Minimum number of parking Buildable Area 'A' identified this Exception | | | 4 |
| 4.15.6.46.28 | Minimum number of parking combined in Buildable Area Schedule RA5-46 of this Exc | s 'C1' and 'C2' identified on | | 7 |
| 4.15.6.46.29 | Minimum setback from a par finished grade, inclusive of e lot line unless otherwise iden Exception | xternal access stairwells, to | any | 0.0 m |
| 4.15.6.46.30 | Minimum landscaped area | | | 30% of lot area |
| 4.15.6.46.31 | Minimum amenity area | | | 2.0 m ² per dwelling unit |
| 4.15.6.46.32 | Minimum percentage of total provided in one contiguous a | | be | 20% |
| 4.15.6.46.33 | "Podium" means the base of above established grade , that | | | |
| 4.15.6.46.34 | "Height of a Podium" means established grade and the hi the podium | | | |
| 4.15.6.46.35 | All site development plans sh of this Exception | nall comply with Schedule F | RA5-46 | |
| Section 37 Fir | nancial Contribution | | | |
| | Pursuant to section 37 of the as amended, the height and d this Exception shall be permi lands zoned RA5-46 entering Corporation of the City of M provision of certain facilities, the increase in height and den this Exception as provided by R.S.O. 1990, c.P.13, as amen registered on title to the lands the owner to: | ensity of development provi tted subject to the owner of isto an agreement with The ississauga (the City) for the services or matters in return sity of development grante y section 37(3) of the <i>Plann</i> ded. This agreement shall b | ided by the e n for d by <i>ing Act,</i> ve | |
| | of \$3,020,000 to be ap adjacent, future city pa surrounding Neighbou within the Downtown | make payment to the City to oplied toward improvements ark, other parks within the prhood and public realm pro- Character Areas, and be in ther terms and conditions of | s to the jects | |



Schedule RA5-46 Map 22

| 4.15.6.47 | Exception: RA5-47 | Map # 22 | By-law: 0156-2016, 0174-2017, 0181-2018/LPAT Order 2019 February 15 |
|-----------------|--|--|---|
| except that the | e following uses/regulat | | shall be as specified for a RA5 zone |
| Additional P | ermitted Use | | |
| 4.15.6.47.1 | (1) Back to Bac | k and Stacked Townhouse | es |
| Regulations | | | |
| 4.15.6.47.2 | - | nes 4.0, 11.1, 15.2, and 15 By-law shall not apply | .3 contained in |
| 4.15.6.47.3 | balcony located on the | nent into a required yard o he first storey , staircase, la hall have a maximum width | anding or awning, |
| 4.15.6.47.4 | | of a balcony located abov utermost face or faces of the rojects | |
| 4.15.6.47.5 | | resident parking spaces pack to back and stacked tow | |
| 4.15.6.47.6 | | visitor parking spaces pe to back and stacked tow | |
| 4.15.6.47.7 | | om a parking structure co sive of external access stain | |
| 4.15.6.47.8 | All site development of this Exception | plans shall comply with S | chedule RA5-47 |
| Holding Prov | vision | | |
| | part of the lands zone Map 22 of Schedule | H is to be removed from the ed H-RA5-47 by further an B contained in Part 13 of the faction of the following req | nendment to his By-law, as |
| | (2) connection to delivery of an servicing agr Mississauga (2.1) the o and (2.2) detail | arrangements with Alectra I o a hydro substation on nea in executed development ag eement in a form satisfacto which provide for: lesign of Webb Drive abutt iled landscape plans for the rave Road right-of-way. | rby lands; greement and ory to the City of ting the property; |
| Section 37 Fi | nancial Contribution | Č , | |
| | as amended, the heig this Exception shall be lands zoned H-RA5 Corporation of the C provision of certain fe increase in height and Exception as provide R.S.O. 1990, c.P.13, registered on title to the the owner to: | 7 of the <i>Planning</i> Act, R.S ht and density of developm be permitted subject to the 47 entering into an agreem ity of Mississauga (the City facilities, services or matter d density of development g d by section 37(3) of the <i>P</i> as amended. This agreeme the lands zoned H-RA5-47 | nent provided by owner of the ent with The y) for the rs in return for the granted by this <i>Planning Act</i> , ent shall be and shall require |
| | by the City to | t to the City the sum of \$6 ward a public art piece to b Palgrave Road pedestrian | be incorporated |



Map 22

| 4.15.6.48 | Exception: RA5-48 | | By-law: 0199-2016, 0174-2017, 0179-2018, 0181-2018/LPAT Order 2019 February 15, 0111-2019/LPAT Order 2021 March 09 | | |
|---------------|---|--|---|--|--|
| | one the permitted uses and a following uses /regulations s | oplicable regulations shall be as hall apply: | specified for a RA5 zone | | |
| Additional Pe | rmitted Uses | | | | |
| 4.15.6.48.1 | Townhouse Retail Store Restaurant Restaurant Take-out Restaurant Outdoor patio acce take-out restaurant Service Establishm Commercial Scho Financial Instituti Medical Office Office Recreational Esta Outdoor Farmers' M | ssory to a restaurant or nt nent ol ion blishment | | | |
| Regulations | | | | | |
| 4.15.6.48.2 | The regulations contained and Article 4.1.15.1 of this | in Table 2.1.2.1.1, Subsection 2. By-law shall not apply | 1.14 | | |
| 4.15.6.48.3 | Maximum floor space ind | Maximum floor space index - apartment zone | | | |
| 4.15.6.48.4 | Maximum number of dwel | _ | 403 | | |
| 4.15.6.48.5 | store, restaurant, take-ou commercial school, finan | a - non-residential used for a re t restaurant, service establishi cial institution, medical office, ment or any combination thereo | nent, office | | |
| 4.15.6.48.6 | establishment, commercia medical office, office and | ake-out restaurant, service al school, financial institution, recreational establishment wil ee storeys of the apartment abu | • | | |
| 4.15.6.48.7 | Maximum gross floor area each storey above 12 store Erin Mills Parkway | a - apartment zone per storey f eys for apartment abutting | for 2 000 m ² | | |
| 4.15.6.48.8 | Maximum height for apar | tment abutting Erin Mills Parkv | vay 70.0 m and 19 storeys | | |
| 4.15.6.48.9 | For the purpose of this By- considered one lot | law, all lands zoned RA5-48 sha | all be | | |
| 4.15.6.48.10 | For the purpose of this By- deemed to be the front lot | law, Erin Mills Parkway shall b line | e | | |
| 4.15.6.48.11 | Minimum front yard | | 11.0 m | | |
| 4.15.6.48.12 | Minimum exterior side ya | rd | 8.0 m | | |
| 4.15.6.48.13 | Minimum interior side ya | rd | 11.0 m | | |
| 4.15.6.48.14 | Minimum rear yard | | 9.0 m | | |
| 4.15.6.48.15 | | Maximum encroachment into an interior side yard of a porch, balcony located on the first storey, staircase, landing or awning3.7 m | | | |
| 4.15.6.48.16 | | Dalcony for the first five storeys ost face or faces of the building | | | |

Exception RA5-48 continued on next page

| 4.15.6.48 | Exception: RA5-48 | Map # 32 | By-law: 0199-2016, 0174-2017, 0179-2018, 0181-2018/LPAT Order 2019 February 15, 0111-2019/LPAT Order 2021 March 09 |
|----------------|--|--|---|
| Exception RA | 5-48 continued from previo | ous page | |
| 4.15.6.48.17 | | arking structure completely b external access stairwells, to r lot lines | below 0.7 m |
| 4.15.6.48.18 | Minimum depth of a lands interior side lot line | caped buffer abutting an | 4.0 m |
| 4.15.6.48.19 | | -use trail permitted within a rec g a lot line that is a street line | quired 3.0 m |
| 4.15.6.48.20 | Minimum percentage of tot provided in one contiguous | al required amenity area to be area | e 29% |
| 4.15.6.48.21 | | ent parking spaces per studio, oom apartment dwelling unit | 1.1 |
| 4.15.6.48.22 | Minimum number of reside apartment dwelling unit | ent parking spaces per three-be | edroom 1.2 |
| 4.15.6.48.23 | Minimum number of reside dwelling unit | ent parking spaces per townho | buse 1.4 |
| 4.15.6.48.24 | Minimum number of visito | r parking spaces per dwelling | g unit 0.15 |
| 4.15.6.48.25 | Minimum number parking for a retail store | spaces per 100 m ² gross floor | r area 4.3 |
| 4.15.6.48.26 | | 3.1.1.4.1, 3.1.1.4.3, 3.1.1.4.4, required parking spaces shall s By-law | |
| 4.15.6.48.27 | | a shared parking arrangement required visitor/non-residential the following: | |
| | the greater of | | |
| | 0.15 visitor spaces per unit | | |
| | or | | |
| | | | |
| Section 37 Fir | ancial Contribution | | |
| | Pursuant to section 37 of th amended, the height and de Exception shall be permitte zoned RA5-48 entering into of the City of Mississauga (facilities, services or matter and density of the developer provided by section 37(3) of c.P13, as amended. This ag the lands zoned RA5-48 an | e <i>Planning Act</i> R.S.O, 1990, c. ensity of development provided d subject to the owner of the la o an agreement with The Corpo (the City) for the provision of c rs in return for the increase in h nent granted by this Exception of the <i>Planning Act</i> R.S.O. 1990 reement shall be registered on d shall require the owner to: | l by this ands pration certain neight as 0, title to |
| | by the City toward John C. Pallett Park and/or a contributio | the City the sum of \$492,667 to upgrades to Crawford Green Pac, and/or affordable housing ini- on towards the 'Backyard Farm etscape upgrades which may in | ark and itiatives and |


| 4.15.6.49 | Exception: RA5-49 | | By-law: 0190-2017, 0181-2018/LPAT Order 2019 February 15 |
|---------------|--|--|--|
| | one the permitted uses and a following uses /regulations | pplicable regulations shall be as shall apply: | specified for a RA5 zone |
| Additional Pe | ermitted Uses | | |
| 4.15.6.49.1 | (1) Back to Back Tow (2) Uses permitted in a of this By-law | wnhouses a C4 zone as contained in Table | 6.2.1 |
| Regulations | | | |
| 4.15.6.49.2 | The provisions contained i and Article 4.1.15.1 of this | n Table 2.1.2.1.1, Subsection 2.1 By-law shall not apply | 1.14 |
| 4.15.6.49.3 | For the purpose of this By- considered one lot | law, all lands zoned RA5-49 sha | all be |
| 4.15.6.49.4 | Back to back townhouses identified on Schedule RA | shall only be permitted in Area 5-49 of this Exception | 'A' as |
| 4.15.6.49.5 | | ne, as contained in Table 6.2.1 of hitted within Area 'B' as identifie exception | |
| 4.15.6.49.6 | | he, as contained in Table 6.2.1 of nitted on the first storey of an | f this |
| 4.15.6.49.7 | Maximum floor space ind | ex - apartment zone | 3.25 |
| 4.15.6.49.8 | Maximum height - Area 'A | 10.7 m and 3 storeys | |
| 4.15.6.49.9 | Maximum height - Area 'E | 90.0 m and 29 storeys | |
| 4.15.6.49.10 | For the purpose of this By- to be the front lot line | law, Hurontario Street will be d | eemed |
| 4.15.6.49.11 | Minimum front yard | | 5.0 m |
| 4.15.6.49.12 | Minimum rear yard | | 6.0 m |
| 4.15.6.49.13 | Minimum interior side ya | rd - Area 'A' | 3.0 m |
| 4.15.6.49.14 | Minimum interior side ya | rd - Area 'B' | 7.5 m |
| 4.15.6.49.15 | Maximum encroachment or required front yard | f a roof, canopy or balcony into | o the 5.0 m |
| 4.15.6.49.16 | Maximum encroachment of interior side yard - Area | f a roof or balcony into the requ B' | nired 1.5 m |
| 4.15.6.49.17 | | ent parking spaces per bachelor room apartment dwelling units | r unit, 1.0 |
| 4.15.6.49.18 | Minimum number of resident apartment dwelling units | ent parking spaces per three-be | droom 1.3 |
| 4.15.6.49.19 | Minimum number of resident townhouse dwelling unit | ent parking spaces per back to l | back 1.75 |
| 4.15.6.49.20 | Minimum number of visito dwelling unit | or parking spaces per apartment | t 0.15 |
| 4.15.6.49.21 | Minimum visitor parking dwelling unit | spaces per back to back townho | use 0.25 |
| 4.15.6.49.22 | be used for the calculation parking in accordance with | a shared parking arrangement m of required visitor/non-residenti the greater of the required visit king required for all non-resident | al or |

Exception RA5-49 continued on next page

| 4.15.6.49 | Exception | : RA5-49 | Map # 15 | 0181-20 | 0190-2017, 18/LPAT Order bruary 15 |
|--------------|----------------------------|--|---|--|---|
| Exception RA | 5-49 contir | ued from previo | us page | | |
| 4.15.6.49.23 | Minimum | setback from an a | aisle to any interior lot lin | ie | 0.0 m |
| 4.15.6.49.24 | | setback from a p arade to any lot lin | arking structure comple e | tely below | 0.0 m |
| 4.15.6.49.25 | | | aste enclosure/loading are ngs or semi-detached | ea to a zone | 1.75 m |
| 4.15.6.49.26 | Minimum | landscaped area | L | | 30% of the lot area |
| 4.15.6.49.27 | Minimum Residentia | | caped buffer abutting a lo | ot line of a | 3.0 m |
| 4.15.6.49.28 | Minimum lot line | depth of a lands | caped buffer abutting any | v other | 1.5 m |
| 4.15.6.49.29 | Minimum | amenity area | | | 4.3 m ² per dwelling unit |
| Holding Prov | ision | | | | |
| | part of the Map 15 of | ands zoned H-R | be removed from the who A5-49 by further amendn ained in Part 13 of this By grequirements: | nent to | |
| | la re of of | ndscaping and buf designed internal 7.0 m) with paral the Planning and | site plan that provides for fers to adjacent propertie roadway (minimum drive lel parking spaces to the Building Department; | s, and a aisle width satisfaction | |
| | ve so ea H | chicular access over uth limit of the sit st public pedestria urontario Street to | easements for pedestrian er the condominium road te to the north, as well as an easement from Grange the satisfaction of the Cir | d from the a west to Drive to ty; | |
| | tra | ansportation opera | tion measures to address l tional issues to the City's ortation's satisfaction; | | |
| | bo G | oulevard requirem | s to confirm certain roady ents for Hurontario Street ling streetscape design an on of the City; | and | |
| | (5) su re | bmission of an up | dated Noise Feasibility S 1 for the units and outdoor | - | |
| | (6) su to hy | bmission of a satistic ensure adequate s | sfactory Functional Servic ervicing and grading, inc and Region of Peel confirm ater capacity; | luding | |
| | (7) re | ceipt of Region of | Peel clearances that all P | INS have | |
| | (8) su In W | vestigation, to the orks Department, | otechnical/Hydrogeologic satisfaction of the Transp to assess the impact on g | portation and | |
| | (9) de wi | ith the City, includ unicipal road wor | ed development; I Development/Servicing ling provisions to comple ks and the construction of | te required | |
| | (10) fil | | cord of Site Condition to a finistry of Environment; | the | |


Exception RA5-49 continued on next page

| 4.15.6.49 | Excep | tion: RA5-49 | Map # 15 | By-law: 0190-2017, 0181-2018/LPAT Order 2019 February 15 | | |
|---|-------|---|-----------------------------------|--|--|--|
| Exception RA5-49 continued from previous page | | | | | | |
| Holding | (11) | | ir Quality Report to the satisfa | ction | | |
| Provision | | | n and Works Department; | | | |
| (continued) | (12) | | se II Environmental Site | | | |
| | | | atisfaction of the Transportation | on | | |
| | (13) | and Works Departm | ter of Reliance for Environme | ntal | | |
| | (13) | | the satisfaction of the Transpo | | | |
| | | and Works Departm | | | | |
| | (14) | | on 37 Agreement including an | у | | |
| | | community benefits | ; | - | | |
| | (15) | establishment of any | y necessary easements; | | | |
| | (16) | 1 · · · | juired securities and fees; | | | |
| | (17) | | from the Ministry of Tourism | | | |
| | (1.0) | | n Archaeological Assessment; | | | |
| | (18) | clearance from the Peel District School Board that | | | | |
| | | • • | ments have been made for the | | | |
| | (19) | provision and distribution of educational facilities; and, receipt of the necessary approvals from Ministry of | | | | |
| | (19) | Transportation and I | | Л | | |




| 4.15.6.50 | Exception: RA5-50 M | ap # 27 | | 73-2018, /LPAT Order Jary 15, 0082-2020 |
|---------------|---|--------------------------------|------------------|---|
| | one the permitted uses and applic following uses /regulations shall | | be as specified | for a RA5 zone |
| Additional Pe | rmitted Use | | | |
| 4.15.6.50.1 | (1) Stacked Townhouse | | | |
| Regulations | | | | |
| 4.15.6.50.2 | Maximum floor space index - | apartment zone | | 3.2 |
| 4.15.6.50.3 | For the purposes of this By-law considered one lot | v, all lands zoned RA5- | 50 shall be | |
| 4.15.6.50.4 | Maximum height | | | 48.0 m and 14 storeys |
| 4.15.6.50.5 | Maximum encroachment of a t first storey | balcony located above t | the | 1.5 m |
| 4.15.6.50.6 | Maximum encroachment of a blocated on the first storey into | | g or awning | 2.0 m |
| 4.15.6.50.7 | Maximum encroachment of a s into a required yard | taircase located on the | first storey | 3.0 m |
| 4.15.6.50.8 | Minimum number of resident p apartment dwelling unit | oarking spaces per one | -bedroom | 1.15 |
| 4.15.6.50.9 | Minimum number of resident p apartment dwelling unit | oarking spaces per two | b-bedroom | 1.2 |
| 4.15.6.50.10 | Minimum number of resident p apartment dwelling unit | oarking spaces per three | ee-bedroom | 1.3 |
| 4.15.6.50.11 | Minimum number of resident p stacked townhouse dwelling u | | o-bedroom | 1.4 |
| 4.15.6.50.12 | Minimum number of visitor pa | rking spaces per dwel | ling unit | 0.15 |
| 4.15.6.50.13 | Minimum number of car-share | parking spaces | | 2 |
| 4.15.6.50.14 | Minimum setback from surface street line | e parking spaces or ais | sles to a | 0.0 m |
| 4.15.6.50.15 | Minimum setback from a park below finished grade, inclusive any rear lot line | | | 0.0 m |
| 4.15.6.50.16 | Minimum setback from a waste permitting detached dwellings | | a to a zone | 7.0 m |
| 4.15.6.50.17 | Condominium roads, drivewa all lands that abut a RA5-50 zo | | hared with | |
| 4.15.6.50.18 | Minimum landscaped area | | | 35% |
| 4.15.6.50.19 | Minimum depth of a landscap | ed buffer abutting a stu | reet line | 0.0 m |
| 4.15.6.50.20 | Minimum depth of a landscape Residential Zone | ed buffer abutting a | | 3.0 m |
| 4.15.6.50.21 | Minimum amenity area to be | provided outside at grad | de | 220 m ² |
| 4.15.6.50.22 | "Car-Share Parking Space" me the exclusive use of a car-shari | | located for | |

| 4.15.6.51 | Exception: RA5-51 | Map # 08 | By-law: LPAT Order 2019 November 15 |
|---------------|---|---|--|
| | one the permitted uses and appl following uses /regulations sha | | s specified for a RA5 zone |
| Additional Pe | rmitted Uses | | |
| 4.15.6.51.1 | Hospice Uses permitted in a C Table 6.2.1 of this By Outdoor Market Custom Workshop Cogeneration Facility | | |
| Regulations | | | |
| 4.15.6.51.2 | The regulations of Lines 15.2 of this By-law shall not apply | | e 4.15.1 |
| 4.15.6.51.3 | For the purpose of this By-law considered one lot | w, all lands zoned RA5-51 s | hall be |
| 4.15.6.51.4 | Uses contained in Clauses 4.1 this Exception shall not be pe | | |
| 4.15.6.51.5 | Maximum floor space index | - apartment zone | 7.8 |
| 4.15.6.51.6 | Minimum landscaped area | | 30% of the lot area |
| 4.15.6.51.7 | Minimum setback to a lot lin with a height less than or equ | | ling 4.0 m |
| 4.15.6.51.8 | Minimum setback to a lot lin with a height greater than six | | ling 7.0 m |
| 4.15.6.51.9 | Minimum setback from a sig | ht triangle | 2.0 m |
| 4.15.6.51.10 | Minimum setback of a parki completely below finished gr | | 1.0 m |
| 4.15.6.51.11 | Minimum number of resident | t parking spaces per dwelli | ng unit 1.0 |
| 4.15.6.51.12 | Minimum number of visitor | parking spaces per dwelling | g unit 0.15 |
| 4.15.6.51.13 | Minimum number of parkin ş retirement dwelling unit | g spaces per | 0.3 |
| 4.15.6.51.14 | Minimum number of parking | g spaces for a long-term care | e bed 0.3 |
| 4.15.6.51.15 | All site development plans sh of this Exception | all comply with Schedule R | A5-51 |
| Holding Prov | ision | | |
| | The holding symbol H is to b part of the lands zoned H-RA Map 08 of Schedule B contai amended, and Schedule RA5- reference to a maximum of 82 with a maximum of 86.0 m and the following requirement: | 5-51 by further amendment ned in Part 13 of this By-law -51 also be amended by dele 3.0 m and 25 storeys replaci | to v, as ting ng it |
| | the transfer document demonstrating that the | from the owner, including a ts and a current parcel regist e lands have been transferred Board for a public school on OS1. | er, d to the |



Schedule RA5-51 Map 08

| 4.15.6.52 | Exception: RA5-52 | Map # 08 | By-law: | LPAT Order | |
|-------------------|--|---|---|---------------------|--|
| | 1 | L | | vember 15 | |
| In a RA5-52 zo | one the permitted uses and ap | plicable regulations sha | all be as specified | l for a RA5 zone | |
| | except that the following uses /regulations shall apply: | | | | |
| Additional Pe | rmitted Uses | | | | |
| 4.15.6.52.1 | Townhouse Hospice Uses permitted in a C4 zone as contained in Table 6.2.1 of this By-law Outdoor Market Custom Workshop Cogeneration Facility | | | | |
| Regulations | | | | | |
| 4.15.6.52.2 | The regulations of Lines 15 of this By-law shall not app | | n Table 4.15.1 | | |
| 4.15.6.52.3 | For the purpose of this By-l considered one lot | aw, all lands zoned RA | 5-52 shall be | | |
| 4.15.6.52.4 | Use contained in Clause 4.1 comply with the RM4-76 re Table 4.10.2.76 of this By-1 | gulations contained in | • | | |
| 4.15.6.52.5 | Uses contained in Clauses 4 this Exception shall not be | | | | |
| 4.15.6.52.6 | Maximum floor space inde | ex - apartment zone | | 4.1 | |
| 4.15.6.52.7 | Minimum landscaped area | l | | 30% of the lot area | |
| 4.15.6.52.8 | Minimum setback to a road, condominium road or lot line for 4.0 m the portion of the building with a height less than or equal to six storeys | | | 4.0 m | |
| 4.15.6.52.9 | Minimum setback to a road, condominium road or lot line for the portion of the building with a height greater than six storeys | | | 7.0 m | |
| 4.15.6.52.10 | Minimum setback from a sight triangle | | | 2.0 m | |
| 4.15.6.52.11 | Minimum setback of a parking structure constructed completely below finished grade to any lot line | | | 1.0 m | |
| 4.15.6.52.12 | Notwithstanding Sentence 4.15.6.52.11 of this Exception, minimum setback of a parking structure constructed completely below finished grade abutting Street 'A'3.0 m | | | 3.0 m | |
| 4.15.6.52.13 | Minimum number of reside | nt parking spaces per | dwelling unit | 1.0 | |
| 4.15.6.52.14 | Minimum number of visitor | r parking spaces per d | welling unit | 0.15 | |
| 4.15.6.52.15 | Minimum number of parki retirement dwelling unit | ng spaces per | | 0.3 | |
| 4.15.6.52.16 | Minimum number of parking spaces for a long-term care bed | | | 0.3 | |
| 4.15.6.52.17 | All site development plans of this Exception | shall comply with Sche | dule RA5-52 | | |
| Holding Provision | | | | | |
| | The holding symbol H is to part of the lands zoned H-R Map 08 of Schedule B cont amended, and Schedule RA reference to a maximum of with a maximum of 83.0 m the following requirement: | A5-52 by further amen ained in Part 13 of this 5-52 also be amended b 74.0 m and 22 storeys a | dment to By-law, as by deleting and replacing it | | |
| | the transfer docume demonstrating that | n from the owner, incluents and a current parcel the lands have been tran Board for a public sch OS1. | register, sferred to the | | |




Map 08

| 4.15.6.53 | Exception: RA5-53 | | By-law: 0054-2020, 0158-2021, 0200-2021, 0208-2022 | |
|---------------|--|--|--|--|
| | one the permitted uses and ap following uses /regulations s | plicable regulations shall be as hall apply: | specified for a RA5 zone | |
| Additional Pe | ermitted Uses | | | |
| 4.15.6.53.1 | (1) Uses permitted in a of this By-law | C4 zone as contained in Table | 6.2.1 | |
| Regulations | | | | |
| 4.15.6.53.2 | A | 1.30.1 contained in Subsection s 11.1, 11.2, 13.3, 15.5 containe shall not apply | | |
| 4.15.6.53.3 | | ence 4.15.6.53.1 of this Exception he first storey of an apartmen | | |
| 4.15.6.53.4 | Maximum floor space inde | ex - apartment zone | 9.2 | |
| 4.15.6.53.5 | Minimum gross floor area | - non-residential | 250 m ² | |
| 4.15.6.53.6 | Maximum gross floor area 13 th and 14 th storeys | a - apartment zone for each of | the $1 \ 150 \ m^2$ | |
| 4.15.6.53.7 | 1 5 | balconies located above the the outermost faces of the buil | 2.0 m ding | |
| 4.15.6.53.8 | maximum projection of a ro | 4.15.6.53.7 of this Exception, boftop balcony on the second butermost face of the building | 6.0 m | |
| 4.15.6.53.9 | maximum projection of a ro | 4.15.6.53.7 of this Exception, boftop balcony located on the om the outermost face of the bu | 4.5 m | |
| 4.15.6.53.10 | Notwithstanding Sentence 4 maximum projection of a ro ninth storey measured from | 6.0 m ding | | |
| 4.15.6.53.11 | Notwithstanding Sentence 4 maximum projection of a ro 15 th storey measured from | 29.5 m | | |
| 4.15.6.53.12 | Maximum projection of an sixth storey measured from | | | |
| 4.15.6.53.13 | | d ventilation shafts shall be per of the completely below grade | mitted | |
| 4.15.6.53.14 | • | 4.15.6.53.24 of this Exception, anopy facing Park Street East fr | 2.2 m | |
| 4.15.6.53.15 | | 4.15.6.53.24 of this Exception, anopy facing Ann Street from th | 2.2 m | |
| 4.15.6.53.16 | • | 4.15.6.53.24 of this Exception, sed outside the buildable area ared yard | | |
| 4.15.6.53.17 | Minimum number of reside apartment dwelling unit | nt parking spaces per one-bed | room 0.75 | |
| 4.15.6.53.18 | Minimum number of reside apartment dwelling unit | nt parking spaces per two-bed | room 0.90 | |
| 4.15.6.53.19 | Minimum number of reside apartment dwelling unit | Minimum number of resident parking spaces per three-bedroom | | |
| 4.15.6.53.20 | Minimum number of shared parking spaces per dwellin | l visitor and non-residential | 0.10 | |

Exception RA5-53 continued on next page

| 4.15.6.53 | Exception: RA5-53 | Map # 08 | By-law: 0054-2020, 0158-2021, 0200-2021, 0208-2022 | | |
|--------------|--|----------|--|--|--|
| Exception RA | Exception RA5-53 continued from previous page | | | | |
| 4.15.6.53.21 | Minimum aisle width | | 6.6 m | | |
| 4.15.6.53.22 | Minimum landscaped area | | 380 m ² | | |
| 4.15.6.53.23 | Minimum amenity area 1 300 m ² | | | | |
| 4.15.6.53.24 | All site development plans shall comply with Schedule RA5-53 of this Exception | | | | |



Schedule RA5-53 Map 08

| 4.15.6.54 | Exception: RA5-54 | | By-law: LPAT Order 2020 April 27/ 2020 November 17, 0111-2019/LPAT Order 2021 March 09 |
|---------------|--|--|--|
| | one the permitted uses and ap following uses /regulations sl | plicable regulations shall be as hall apply: | specified for a RA5 zone |
| Additional Pe | ermitted Uses | | |
| 4.15.6.54.1 | Retail Store Restaurant Restaurant Take-out Restaura Service Establishm Financial Institution Office | ient | |
| Regulations | | | |
| 4.15.6.54.2 | Subsections 2.1.14 and 4.1. and 4.1.15.1 and the regular | and 3.0 contained in Table 2.1. 21, Articles 3.1.4.1, 3.1.4.2, 3.1 tions of Lines 5.0, 6.0, 8.0, 9.0, ed in Table 4.15.1 of this By-lay | .4.3 10.0, |
| 4.15.6.54.3 | The uses contained in Sentence 4.15.6.54.1 of this Exception shall only be located within a building , structure or part thereof used for an apartment , long-term care building , retirement building or any other combination thereof | | |
| 4.15.6.54.4 | The uses contained in Sentence 4.15.6.54.1 of this Exception shall not be permitted above the third storey | | |
| 4.15.6.54.5 | Minimum gross floor area - non-residential that shall be400 m²located within the first storey | | |
| 4.15.6.54.6 | The lot line abutting Huron the front lot line | tario Street shall be deemed to | be |
| 4.15.6.54.7 | Maximum front yard | | 3.0 m |
| 4.15.6.54.8 | Maximum exterior side ya | 3.0 m | |
| 4.15.6.54.9 | Notwithstanding Sentences Exception, minimum front portion of the building or s 14.5 m and 3 storeys | t | |
| 4.15.6.54.10 | Minimum interior side and building or structure with and 3 storeys | | |
| 4.15.6.54.11 | Minimum interior side yar or structure with a height | 8 | |
| 4.15.6.54.12 | Minimum rear yard for tha structure with a height gree | 15.0 m | |
| 4.15.6.54.13 | Maximum tower floor plat in height | 750 m ² | |
| 4.15.6.54.14 | Minimum height of a build 0.0 m and 6.0 m from the f | en 14.5 m and 3 storeys | |
| 4.15.6.54.15 | Minimum height of a build 0.0 m and 6.0 m from the e | en 10.5 m and 2 storeys | |
| 4.15.6.54.16 | Maximum height | | 115.1 m and 36 storeys |

Exception RA5-54 continued on next page

| 4.15.6.54 | Exception: RA5-54 | Map # 22 | By-law: LPA 2020 April 27 2020 Novem 0111-2019/L 2021 March (| 7/ oer 17, PAT Order |
|--------------|--|--|---|--|
| Exception RA | A5-54 continued from previo | us page | | |
| 4.15.6.54.17 | Notwithstanding any other p calculation of height for ap retirement buildings , shall architectural appurtenances, provided that the maximum no higher than 8.5 m above | artment, long-term care an be exclusive of mechanical located on the roof of a dwo height of the top of such eld | nd or elling ements is | |
| 4.15.6.54.18 | | Maximum projection of a balcony located above the third storey 2.0 m measured from the outermost face or faces of the building from which the balcony projects | | |
| 4.15.6.54.19 | Minimum setback from a pa finished grade, inclusive of lot line | | | 0.0 m |
| 4.15.6.54.20 | Minimum setback from a pa finished grade, inclusive of interior side or rear lot lin | external access stairwells, to | | 2.7 m |
| 4.15.6.54.21 | Minimum number of resider dwelling unit | nt parking spaces per one-b | edroom | 0.9 |
| 4.15.6.54.22 | Minimum number of resider dwelling unit | nt parking spaces per two-b | oedroom | 1.0 |
| 4.15.6.54.23 | Minimum number of resider dwelling unit | nt parking spaces per three- | -bedroom | 1.3 |
| 4.15.6.54.24 | Minimum number of visitor dwelling unit | parking spaces per apartm | ent | 0.15 |
| 4.15.6.54.25 | Minimum number of parkin gross floor area-non-resid Clauses 4.15.6.54.1(1) to 4. | | on | 4.3 |
| 4.15.6.54.26 | parking in accordance with | equired visitor/non-residenti | | |
| | the greater of 0.15 visitor spaces per unit | | | |
| | or | | | |
| | Parking required for all non in Sentence 4.15.6.54.1 of the sentence 4.15.6.55.1 of the sentence 4.15.6.55.1 of the sentence 4.15.6.55.1 of the sentence 4.15.55.1 of the sentence 4.15.55.1 of the sentence 4.15.55.1 of the sent | | | |
| 4.15.6.54.27 | Minimum contiguous gross bicycle parking | floor area - non-residentia | d for | 228 m ² |
| 4.15.6.54.28 | Minimum depth of a landsc and rear lot lines | caped buffer along interior | side yard | 3.0 |
| 4.15.6.54.29 | Minimum contiguous amen | ity area to be provided outs | ide | 1.35 m ² per dwelling unit |
| 4.15.6.54.30 | Minimum amenity area to | be provided inside | | 2.0 m ² per dwelling unit |


Exception RA5-54 continued on next page

| 4.15.6.54 | Excep | otion: RA5-54 | Map # 22 | By-law: LPAT Order 2020 April 27/ 2020 November 17, 0111-2019/LPAT Order 2021 March 09 |
|--------------|-----------------|---|--|--|
| Exception R | A5-54 co | ontinued from previou | s page | |
| Holding Prov | vision | | | |
| | part o Map 2 | f the lands zoned H-RA 22 of Schedule B contai | be removed from the whole 45-54 by further amendmen aned in Part 13 of this By-la f the following requirement | t to w, as |
| | (1) | delivery of an executed Development Agreement in a form and on terms satisfactory to the City of Mississauga ("City") and the Region of Peel ("Region"); | | |
| | (2) | the submission of a revised traffic impact study including a functional plan for the Central Parkway West access including, but not limited to the extension of the Central Parkway median at Hurontario Street past the driveway and pavement marking, to the satisfaction of the City; | | |
| | (3) | 3) satisfactory arrangement for the right-in, right-out access on to Central Parkway West, to the satisfaction of the City; | | |
| | (4) | (4) the submission of a revised functional servicing report to the satisfaction of the City and the Region; | | |
| | (5) | posted to the Environ | ecord of Site Condition has mental Site Registry and th porting environmental repo y; | e |
| | (6) | delivery of an execute benefits pursuant to s | ed agreement for communit ection 37 of the <i>Planning A</i> nd on terms satisfactory to | <i>ct,</i> as |

| 4.15.6.55 | Exception: RA5-55 | Map # 36W | By-law: 0259-2020, 0111-2019/LPAT Order 2021 March 09, 0213-2022, 0208-2022 | |
|--------------|---|---|--|--|
| | zone the permitted uses and e following uses /regulations | | l be as specified for a RA5 zone | |
| Additional P | ermitted Uses | | | |
| 4.15.6.55.1 | Townhouse Retail Store Retail Store Motor Vehicle R Restaurant Take-out Restau Service Establish Commercial Sch Private School Day Care Financial Institu Medical Office Office Recreational Est | rant ment ool tion | | |
| Regulations | | | | |
| 4.15.6.55.2 | 2.1.9.4, and 4.1.15.1, and | tion 2.1.14, Articles 2.1.2. the regulations of Lines 3 15.2, 15.3, 15.5 and 15.6 of w shall not apply | 0, 4.0, 5.0, | |
| 4.15.6.55.3 | For the purposes of this By-law, all lands zoned RA5-55 shall be considered one lot | | | |
| 4.15.6.55.4 | The uses contained in Clauses 4.15.6.55.1(2) to 4.15.6.55.1(13) of this Exception shall only be located within a building , structure or part thereof, used for an apartment , long-term care building , retirement building or any other combination thereof | | | |
| 4.15.6.55.5 | of this Exception shall on building in Buildable A | auses 4.15.6.55.1(2) to 4.13 ily be located on the first s rea 'C' identified on Sched streetwall of Eglinton Ave | torey of the ule RA5-55 of | |
| 4.15.6.55.6 | Maximum number of apa | artment dwelling units | 2 500 | |
| 4.15.6.55.7 | Maximum number of tow | nhouse dwelling units | 20 | |
| 4.15.6.55.8 | Minimum floor area to be used for non-residential uses1 300 m²identified in Clauses 4.15.6.55.1(2) to 4.15.6.55.1(13) of this Exception1 | | | |
| 4.15.6.55.9 | Maximum gross floor area - apartment zone per storey for 850 m ² each storey above 12 storeys | | | |
| 4.15.6.55.10 | The height of the townhouses will be calculated using established grade | | | |
| 4.15.6.55.11 | Maximum encroachment outside the buildable area of a1.6 m porch or deck inclusive of stairs located at and accessible1.6 mfrom the first storey of a townhouse 1.6 m | | | |
| 4.15.6.55.12 | Minimum number of resident parking spaces per studio0.8apartment dwelling unit0.8 | | | |
| 4.15.6.55.13 | Minimum number of resident parking spaces per one-bedroom0.9apartment dwelling unit0.9 | | | |
| 4.15.6.55.14 | Minimum number of resident parking spaces per two-bedroom1.0apartment dwelling unit1.0 | | | |
| 4.15.6.55.15 | Minimum number of resident parking spaces per three-bedroom 1.3 apartment dwelling unit | | | |

Exception RA5-55 continued on next page

| 4.15.6.55 | Exception: RA5-55 | Map # 36W | By-law: 0259-2020, 0111-2019/LPAT Order 2021 March 09, 0213-2022, 0208-2022 | |
|--------------|--|---|--|--|
| _ | 5-55 continued from previo | | | |
| 4.15.6.55.16 | Minimum number of parki | | 2 | |
| 4.15.6.55.17 | For the visitor component, a shared parking arrangement may be used for the calculation of required visitor/non-residential parking in accordance with the following: | | | |
| | the greater of | | | |
| | 0.15 visitor spaces per unit | | | |
| | or | | | |
| | U | -residential uses , located in th as the residential use , except staurant | e same | |
| | included in the above shared | take-out restaurant shall not d parking arrangement and sha n applicable regulations contai | ll be | |
| 4.15.6.55.18 | Resident tandem parking s | spaces are permitted | | |
| 4.15.6.55.19 | Maximum number of reside | ent tandem parking spaces | 20% of total required resident parking spaces | |
| 4.15.6.55.20 | Minimum vertical depth | | 1.0 m | |
| 4.15.6.55.21 | Minimum landscaped area | L | 25% of the lot area | |
| 4.15.6.55.22 | Minimum amenity area4.5 m² per dwelling unit | | | |
| 4.15.6.55.23 | "Podium" means the base of a building , structure or part thereof, located at or above established grade , that projects from the tower portion of the building | | | |
| 4.15.6.55.24 | | s the vertical distance betweer nighest point of the roof surfac | | |
| 4.15.6.55.25 | | distance between the finished to the top of the roof membras ture | | |
| 4.15.6.55.26 | All site development plans s of this Exception | shall comply with Schedule RA | A5-55 | |
| Holding Prov | ision | | | |
| | part of the lands zoned H-R Map 36W of Schedule B co | be removed from the whole of A5-55 by further amendment ntained in Part 13 of this By-la of the following requirements | to aw, as | |
| | (1) delivery of an executed agreement for affordable housing pursuant to section 37 of the <i>Planning Act</i> consisting of an affordable housing contribution of either \$15 million, or 5% of total units proposed (up to 125 affordable ownership units) on site (mix of one and two-bedroom unit types), or a partnership with a non-profit housing provider to deliver 5% of total units proposed (up to 125 affordable ownership or rental units), or that | | | |
| | | | | |



Schedule RA5-55 Map 36W


| 4.15.6.56 | Exception: RA5-56 | Map # 36W | By-law: 0082-2021 | | |
|---------------|--|---|-----------------------------|--|--|
| | one the permitted uses and ap following uses /regulations sl | | as specified for a RA5 zone | | |
| Additional Pe | rmitted Uses | | | | |
| 4.15.6.56.1 | (3) Restaurant(4) Take-out Restaura | sory to a restaurant and t blishment tent d bn | 2 | | |
| Regulations | | | | | |
| 4.15.6.56.2 | Subsections 2.1.14 and 2.1. | and 3.0 contained in Table 2 30, Sentence 3.1.1.8.1 and the d 15.3 contained in Table 4.1 | e | | |
| 4.15.6.56.3 | Maximum floor space inde | ex - apartment zone | 4.0 | | |
| 4.15.6.56.4 | Maximum gross floor area - apartment zone per storey for each storey above seven storeys for Building 'A' identified on Schedule RA5-56 of this Exception750 m² | | | | |
| 4.15.6.56.5 | | - apartment zone per store ys for Building 'B' identified acception | | | |
| 4.15.6.56.6 | Minimum gross floor area | - non-residential | 900 m ² | | |
| 4.15.6.56.7 | Notwithstanding any other provisions of this By-law, the calculation of height for apartment, long-term care and retirement buildings, shall be exclusive of mechanical or architectural appurtenances such as mechanical equipment, mechanical penthouse, elevator machine rooms, telecommunication equipment and enclosures, parapets, turrets, cupolas, stairs and stair enclosures, located on the roof of a dwelling provided that the maximum height of the top of such elements is no higher than 7.0 m above the height limit otherwise applicable900 m | | | | |
| 4.15.6.56.8 | The lot line abutting Huron front lot line | tario Street shall be deemed t | to be the | | |
| 4.15.6.56.9 | A dwelling unit shall not be located along the Hurontario Street frontage on the first storey | | | | |
| 4.15.6.56.10 | Notwithstanding Sentence 4.15.6.56.26 of this Exception, maximum encroachment into a required yard of a canopy or awning located on the first storey3.0 m | | | | |
| 4.15.6.56.11 | maximum encroachment in | Notwithstanding Sentence 4.15.6.56.26 of this Exception,1.0 mmaximum encroachment into a required yard abuttingBristol Road East of a canopy or awning located on the | | | |
| 4.15.6.56.12 | | 4.15.6.56.26 of this Exception py or awning located on the gle | n, 0.0 m | | |

Exception RA5-56 continued on next page

| 4.15.6.56 | Exception: RA5-56 | Map # 36W | By-law: 0082-2021 | |
|--------------|---|------------------------------------|-------------------|--|
| Exception RA | 5-56 continued from previo | ous page | | |
| 4.15.6.56.13 | Driveways may be shared w | with abutting lands zoned C | 2-15 | |
| 4.15.6.56.14 | Minimum number of reside apartment dwelling unit | nt parking spaces per stud | io rental 0.8 | |
| 4.15.6.56.15 | Minimum number of reside rental apartment dwelling u | | bedroom 0.85 | |
| 4.15.6.56.16 | Minimum number of reside rental apartment dwelling u | | bedroom 1.0 | |
| 4.15.6.56.17 | Minimum number of reside rental apartment dwelling u | | e-bedroom 1.2 | |
| 4.15.6.56.18 | Minimum number of visitor dwelling unit | r parking spaces per rental | apartment 0.15 | |
| 4.15.6.56.19 | Minimum number of parking spaces per 100 m² of gross floor4.3area - non-residential for uses contained in Sentence 4.15.6.56.16.1of this Exception, except a restaurant with a gross floor area - non-residential greater than 220 m²4.3 | | | |
| 4.15.6.56.20 | For the visitor component, a shared parking arrangement may be used for the calculation of required visitor/non-residential parking in accordance with the following: | | | |
| | The greater of | | | |
| | 0.15 visitor spaces per unit | | | |
| | or | | | |
| | Parking required for all non-residential uses , located in the same building or on the same lot as the residential use , except a restaurant with a gross floor area - non-residential greater than 220 m ² . | | | |
| | Parking for a restaurant with a gross floor area - non-residential greater than 220 m ² shall not be included in the above shared parking arrangement and shall be provided in accordance with the applicable regulations contained in Table 3.1.2.2 of this By-law | | | |
| 4.15.6.56.21 | Tandem parking spaces w | vill be permitted | | |
| 4.15.6.56.22 | Maximum percentage of required resident parking spaces that 10% may be tandem | | | |
| 4.15.6.56.23 | Minimum setback from a parking structure completely below3.0 mfinished grade, inclusive of external access stairwells and ventilation shafts to a front and/or exterior lot line3.0 m | | | |
| 4.15.6.56.24 | Minimum setback from a parking structure completely below0.0 mfinished grade, inclusive of external access stairwells and ventilation shafts to any other lot line0.0 m | | | |
| 4.15.6.56.25 | Minimum landscaped area | l | 15% | |

Exception RA5-56 continued on next page

| 4.15.6.56 | Excep | ption: RA5-56 | Map # 36W | By-law: 0082-2021 | | |
|--------------|---|---|--|--------------------|--|--|
| Exception RA | Exception RA5-56 continued from previous page | | | | | |
| 4.15.6.56.26 | | te development plans s s Exception | hall comply with Schedule | RA5-56 | | |
| Holding Prov | ision | | | | | |
| | part o Map 1 | of the lands zoned H-RA 36W of Schedule B cor | be removed from the whole A5-56 by further amendmen ntained in Part 13 of this By of the following requiremen | nt to y-law, as | | |
| | (1) | Municipal Infrastructure Schedules in a form and on terms satisfactory to the City of Mississauga ("City") and Region of Peel ("Region") to capture items including but not limited to: municipal infrastructure detailed design, | | | | |
| | (2) | securities, fees, and insurance; delivery of an executed Public Benefit Contribution (section 37) agreement pursuant to section 37 of the <i>Planning Act</i> , R S O 1990, c P 13, as amended: | | | | |
| | (3) | drawings, to the satisfaction of the City and Region, in support of the municipal and regional infrastructure detailed design, including but not limited to: a final clean-up report confirming that the property meets the applicable Ministry of the Environment, Conservation and Parks (MECP) standards; and an updated geotechnical report outlining backfill and bedding recommendations for any required municipal or | | | | |
| | (4) | regional service; receipt of confirmation that the Record of Site Condition (RSC) has been filed with the Ministry of Environment, Conservation and Parks, together with any supporting documentation or as otherwise provided and secured for in the development agreement; | | | | |
| | (5) | - | y discharge to storm sewer | | | |
| | (6) | | ents for Waste Collection s e Collection Design Standa e Region. | | | |



Schedule RA5-56 Map 36W


| 4.15.6.57 | Exception: RA5-57 Ma | | 3y-law: 0160-2021, 0094-2023 | | |
|-----------------|---|---|---------------------------------|--|--|
| except that the | one the permitted uses and applicate following uses /regulations shall a permitted Uses | | specified for a RA5 zone | | |
| | | | | | |
| 4.15.6.57.1 | Retail Store Restaurant Take-out Restaurant Service Establishment Financial Institution Medical Office - Restri Art Gallery Museum | cted | | | |
| Regulations | | | | | |
| 4.15.6.57.2 | The provisions of Lines 1.0 and Subsection 2.1.14, Articles 3.1.4 regulations of Lines 13.5, 15.1, contained in Table 4.15.1 of this | 4.1, 3.1.4.3 and 4.1.15.1 and 15.2, 15.3, 15.5 and 15.6 | | | |
| 4.15.6.57.3 | The uses contained in Sentence 4.15.6.57.1 of this Exception shall only be located within a building , structure or part thereof, used for an apartment , long-term care building , retirement building or any other combination thereof | | | | |
| 4.15.6.57.4 | The uses contained in Sentence shall not be permitted above the | | on | | |
| 4.15.6.57.5 | Maximum floor space index - a | partment zone | 9.5 | | |
| 4.15.6.57.6 | Minimum gross floor area - no shall be located within the first | | 305 m ² | | |
| 4.15.6.57.7 | Maximum gross floor area - ap each storey above 21.0 m and 6 | or 850 m^2 | | | |
| 4.15.6.57.8 | Notwithstanding Sentence 4.15. maximum encroachment of a ba first storey , window, pilaster, c architectural projection into a re | lcony located above the ornice, balustrade, roof eav | 2.0 m es or | | |
| 4.15.6.57.9 | Notwithstanding Sentences 4.15 Exception, maximum encroachr eighth storey into a required ya | nent of a balcony located o | | | |
| 4.15.6.57.10 | Notwithstanding Sentence 4.15. maximum encroachment into a balcony located on the first sto provided that each shall have a p | 6.57.25 of this Exception, required yard of a porch , rey , staircase, landing or av | 2.0 m | | |
| 4.15.6.57.11 | Notwithstanding Sentence 4.15.6.57.25 of this Exception, maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects2.0 m | | | | |
| 4.15.6.57.12 | Notwithstanding Sentence 4.15. maximum projection of a balco measured from the outermost fa which the balcony projects | • | | | |
| 4.15.6.57.13 | Minimum number of resident p a apartment dwelling unit | 0.8 | | | |
| 4.15.6.57.14 | Minimum number of resident p a apartment dwelling unit | arking spaces per one-bedr | room 0.9 | | |
| 4.15.6.57.15 | Minimum number of resident p artment dwelling unit | arking spaces per two-bedr | room 1.0 | | |

Exception RA5-57 continued on next page

| 4.15.6.57 | Exception: RA5-57 | Map # 21 | By-law: 0160-2021, 0094-2023 |
|--------------|---|--|--|
| Exception RA | 5-57 continued from previou | s page | |
| 4.15.6.57.16 | Minimum number of residen apartment dwelling unit | t parking spaces per three-be | edroom 1.3 |
| 4.15.6.57.17 | Minimum number of visitor dwelling unit | parking spaces per apartmen | t 0.15 |
| 4.15.6.57.18 | Minimum number of parkin gross floor area - non-resid Clauses 4.15.6.57.1(1), 4.15. this Exception | | 4.3 |
| 4.15.6.57.19 | | shared parking arrangement r quired visitor/non-residential he following: | nay be |
| | the greater of | | |
| | 0.15 visitor spaces per unit | | |
| | or | | |
| | Parking required for all non- same building or on the sam except restaurant | residential uses , located in the e lot as the residential use , | 2 |
| | shared parking arrangement a | ll not be included in the above and shall be provided in egulations contained in Table | |
| 4.15.6.57.20 | Notwithstanding Sentence 4.15.6.57.25 of this Exception,4.5 mmaximum encroachment of a hydro electrical transformer andpad into a required yard | | |
| 4.15.6.57.21 | Notwithstanding Sentence 4.15.6.57.25 of this Exception, an at grade vent screen, outdoor amenity area and hydro electrical transformer and pad shall be permitted within a required landscaped buffer | | |
| 4.15.6.57.22 | Minimum floor area for bicy | ycle parking | 345 m ² |
| 4.15.6.57.23 | Minimum amenity area 4.5 r dwelli | | |
| 4.15.6.57.24 | Minimum amenity area to b | e provided outside | 1.6 m ² per dwelling unit |

Exception RA5-57 continued on next page

| 4.15.6.57 | Exce | ption: RA5-57 | Map # 21 | By-law: 0160-2021, 0094-2023 | |
|--------------|--|--|---|----------------------------------|--|
| Exception RA | A5-57 c | ontinued from previ | ous page | | |
| 4.15.6.57.25 | | ite development plans is Exception | s shall comply with Sch | nedule RA5-57 | |
| Holding Prov | ision | | | | |
| | part o Map | of the lands zoned H-l 21 of Schedule B con | o be removed from the RA5-57 by further ame tained in Part 13 of thi n of the following requ | endment to s By-law, as | |
| | (1) | municipal infrastru | cuted Development Ag acture schedules in a fo City of Mississauga ("(| orm and on terms | |
| | (2) | • | achieve the ultimate 26 | • | |
| | (3) | provision of any outstanding or updated technical reports, documents, drawings/plans in support of any required land dedication, easement, municipal works or servicing proposal to the satisfaction of the City; | | | |
| | (4) | | des including any requ | - | |
| | (5) | a remedial action p satisfaction of the | blan and clean-up repor | t to the | |
| | (6) confirmation of satisfactory arrangements with the owner of the property to the east (15 Fairview Road East) for any required improvements to the shared private road and its use; | | | | |
| | (7) | | tion 37 (Community Boatisfaction of the City; | enefits) | |
| | (8) | delivery of an exec housing contribution the City Planning a | cuted agreement for an on in a form on terms s and Building Departme on of 18 one-bedroom | atisfactory to ent, detailing | |



Map 21

| 4.15.6.58 | Exception: RA5-58 | Map # 21 | By-law: 0122-2022 | |
|--------------|---|--|-----------------------|----------------|
| | one the permitted uses and a following uses /regulations | pplicable regulations shall be as shall apply: | s specified for a RA5 | zone |
| Regulations | | | | |
| 4.15.6.58.1 | A | 2.1.30 and 4.1.9.6 and the reguland 5.0 contained in Table 4.1.2. | | |
| 4.15.6.58.2 | | lly existing dwelling units perm he date of passing of this By-lav | | |
| 4.15.6.58.3 | Maximum floor space ind | lex - apartment zone | 2.3 | 3 |
| 4.15.6.58.4 | Maximum height | | 78.5 m 25 sto | |
| 4.15.6.58.5 | Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects | | | m |
| 4.15.6.58.6 | Maximum projection of a balcony located above the first storey 1.9 m of the building into the required minimum above grade separation between buildings | | | m |
| 4.15.6.58.7 | Minimum above grade separation between buildings for that portion of dwelling with a height greater than 26.0 m | | | m |
| 4.15.6.58.8 | Minimum number of resid one-bedroom apartment d | ent parking spaces per studio a welling units | und 0.8 | 5 |
| 4.15.6.58.9 | Minimum number of resid apartment dwelling unit | ent parking spaces per two-bec | lroom 1.1 | 3 |
| 4.15.6.58.10 | Minimum number of resid apartment dwelling unit | ent parking spaces per three-be | edroom 1.2 | 2 |
| 4.15.6.58.11 | Minimum number of visite | or parking spaces per dwelling | unit 0.2 | 0 |
| 4.15.6.58.12 | Minimum setback from a parking structure inclusive of ventilation shafts above or partially above finished grade to any lot line | | | m |
| 4.15.6.58.13 | Minimum aisle width within the underground parking structure legally existing on the date of passing of this By-law | | | m |
| 4.15.6.58.14 | Minimum number of load | Minimum number of loading spaces | | |
| 4.15.6.58.15 | Maximum area occupied c and structures | combined for all accessory build | dings 200 | m ² |

| 4.15.6.59 | Exce | ption: RA5-59 | Map # 01 | By-law: 0119-2022 | | |
|--------------|---------|--|------------|--------------------------------------|--|--|
| | | | | | | |
| | | permitted uses and a ing uses /regulations | | shall be as specified for a RA5 zone | | |
| Additional P | ermitte | d Uses | | | | |
| 4.15.6.59.1 | (1) | Townhouse | | | | |
| | (2) | Stacked Townhouse | | | | |
| | (3) | Restaurant | | | | |
| | (4) | Take-out restaurant | | | | |
| | (5) | Outdoor patio accessory to a restaurant or | | | | |
| | | take-out restaura | nt | | | |
| | (6) | Animal Care Esta | ablishment | | | |

Exception RA5-59 continued on next page


| 4.15.6.59 | Exception: RA5-59 | By-law: 0119-2022 | | | | |
|--------------|--|---|----------------------|--|--|--|
| Exception RA | Exception RA5-59 continued from previous page | | | | | |
| Regulations | | | | | | |
| 4.15.6.59.2 | | Uses contained in Clauses 4.15.6.59.1(1) and 4.15.6.59.1(2) of this Exception shall be attached to an apartment | | | | |
| 4.15.6.59.3 | | ts, restaurants and take-out ermitted within the first storey | | | | |
| 4.15.6.59.4 | the first storey of each buil | - non-residential located within ding abutting Street 'F', between tified on Schedule RA5-59 of | | | | |
| 4.15.6.59.5 | Maximum height of a podiu | m | 6 storeys and 21.0 n | | | |
| 4.15.6.59.6 | For the purposes of calculat stacked townhouse shall be | ing height, townhouse and e measured from established gr | rade | | | |
| 4.15.6.59.7 | Minimum front and exterio dwelling with a height up to | or side yards for that portion of and including six storeys | f the 4.0 m | | | |
| 4.15.6.59.8 | Minimum front and exterio dwelling with a height grea | or side yards for that portion of ter than six storeys | f the 7.0 m | | | |
| 4.15.6.59.9 | Minimum setback of a stree height greater than four sto of this Exception | | | | | |
| 4.15.6.59.10 | Minimum setback for that p greater than six storeys and | | | | | |
| 4.15.6.59.11 | Minimum interior side yar with a height up to and incl | ng 4.5 m | | | | |
| 4.15.6.59.12 | Minimum interior side yar with a height greater than s | ng 7.5 m | | | | |
| 4.15.6.59.13 | Minimum rear yard for that height up to and including s | 7.5 m | | | | |
| 4.15.6.59.14 | Minimum rear yard for tha height greater than six stor | t portion of the dwelling with a e ys | 10.5 m | | | |
| 4.15.6.59.15 | - | 4.15.6.59.11 and 4.15.6.59.13 o or side or rear yard when abut | | | | |
| 4.15.6.59.16 | e 1 | ration between buildings for the a height greater than eight sto | | | | |
| 4.15.6.59.17 | Maximum encroachment of first storey into a required | a balcony located above the yard | 2.4 m | | | |
| 4.15.6.59.18 | Maximum projection of a b measured from the outermo which the balcony projects | | | | | |
| 4.15.6.59.19 | Notwithstanding Sentence 4 balcony shall not have a ma not extend beyond the outer supporting the balcony | loes | | | | |
| 4.15.6.59.20 | Minimum setback from a pa above finished grade to a fr | ially 4.0 m | | | | |
| 4.15.6.59.21 | Minimum setback from a pa above finished grade to an i | ially 4.5 m | | | | |
| 4.15.6.59.22 | Minimum setback from a pa above finished grade to a re | arking structure above or parti ar lot line | ially 7.5 m | | | |

Exception RA5-59 continued on next page

| 4.15.6.59 | Exception: RA5-59 | Map # 01 | By-law: 0119-2022 |
|--------------|---|---|--|
| Exception RA | 5-59 continued from previous | s page | |
| 4.15.6.59.23 | Minimum setback from a par finished grade, inclusive of ex lot line | | |
| 4.15.6.59.24 | Notwithstanding Sentence 4.1 minimum setback from a par finished grade, inclusive of ex lot line abutting Street 'H' on Schedule 2.1.33 of this By-la | king structure completely b xternal access stairwells, to the Blocks 3 and 8 identified on | below the |
| 4.15.6.59.25 | Notwithstanding Sentence 4.1 minimum setback for externa that is a street line | | |
| 4.15.6.59.26 | Notwithstanding Sentence 4.1 minimum setback from a par finished grade to all lands zor | king structure completely b | |
| 4.15.6.59.27 | Minimum setback from a sigl | ht triangle | 2.0 m |
| 4.15.6.59.28 | Minimum width of a condom | ninium road | 6.1 m |
| 4.15.6.59.29 | Minimum landscaped area | | 30% |
| 4.15.6.59.30 | Minimum depth of a landsca is a street line | ped buffer abutting a lot lin | ne that 2.0 m |
| 4.15.6.59.31 | Minimum depth of a landsca Open Space Zone | ped buffer abutting lands wi | rith an 1.5 m |
| 4.15.6.59.32 | Minimum amenity area | | The greater of 4.0 m^2 per dwelling unit or 10% of the site area |
| 4.15.6.59.33 | Minimum percentage of total provided in one contiguous a | | e 35% |
| 4.15.6.59.34 | Maximum amount of required may be tandem | nat 10% | |
| 4.15.6.59.35 | Condominium roads and ais abutting lands zoned C4-76 a | | ed with |
| 4.15.6.59.36 | Parking areas , amenity area permitted to be shared with al and C4-77 | | |
| 4.15.6.59.37 | Notwithstanding any other pr calculation of height for apar retirement buildings , shall b amenity area provided that to occupy more than 30% of the 3.0 m from the outermost edg of such element is no higher to otherwise applicable | rtment, long-term care and be exclusive of an enclosed re he enclosed amenity area do rooftop, is setback a minimu- ge of the rooftop and that the | ooftop oes not um of height |
| 4.15.6.59.38 | "Height of a Podium" means established grade and the high the podium | | |
| 4.15.6.59.39 | "Podium" means the base of a or above established grade , | | |

Exception RA5-59 continued on next page

| 4.15.6.59 | Exception: RA5-59 | Map # 01 | By-law: 0119-2022 | | |
|--------------|---|--------------|-------------------|--|--|
| Exception RA | A5-59 continued from p | revious page | | | |
| 4.15.6.59.40 | All site development plans shall comply with Schedule RA5-59 of this Exception | | | | |
| Holding Prov | ision | | | | |
| | The holding symbol H is to be removed from the whole or any part of the lands zoned H-RA5-59 by further amendment to Map 01 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirement: | | | | |
| | the provisions contained in Article 2.1.33.7 of this By-law as they relate to lands zoned H-RA5-59 and subject to holding provisions H1, H2, H3, H4 and H5. | | | | |




Schedule RA5-59 Map 01

| 4.15.6.60 | Exception: RA5-60 | Map # | By-law: | |
|-----------|-------------------|-------|---------|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| 4.15.6.61 | Exception: RA5-61 | Map # 22 | By-law: OLT Order 2023 June 05 | | |
|---------------|---|----------|--------------------------------|----------------|--|
| | one the permitted uses and app following uses /regulations sha | | e as specified for a RA5 | zone | |
| Additional Pe | rmitted Uses | | | | |
| 4.15.6.61.1 | Retail Store Restaurant Take-out Restaurant Service Establishment Financial Institution Medical Office Office | | | | |
| Regulations | | | | | |
| 4.15.6.61.2 | The provisions of Lines 1.0 and 3.0 contained in Table 2.1.2.1.1, Subsections 2.1.14, 2.1.30 and Article 4.1.15.1 and the regulations of Lines 15.1, 15.2, 15.5 and 15.6 contained in Table 4.15.1 of this By-law shall not apply | | | | |
| 4.15.6.61.3 | A dwelling unit shall not be permitted on the first storey | | | | |
| 4.15.6.61.4 | The uses contained in Sentence 4.15.6.61.1 of this Exception shall not be permitted above the third storey | | | | |
| 4.15.6.61.5 | The uses contained in Sentence 4.15.6.61.1 of this Exception shall only be located within a building , structure or part thereof used for an apartment , long-term care building , retirement building or any combination thereof | | | | |
| 4.15.6.61.6 | Maximum floor space index - apartment zone | | 7.6 | 5 | |
| 4.15.6.61.7 | Minimum gross floor area - non-residential used for medical office and office | | 1 790 | m ² | |
| 4.15.6.61.8 | Maximum gross floor area - each storey above nine store | | ey for 750 m | m^2 | |
| 4.15.6.61.9 | Minimum number of resident parking spaces per dwelling unit | | lling unit 0.8 | 3 | |
| 4.15.6.61.10 | Minimum number of visitor parking spaces per dwelling unit | | ing unit 0.2 | 2 | |
| 4.15.6.61.11 | Minimum number of accessible parking spaces | | 5 | | |
| 4.15.6.61.12 | Minimum number of bicycle parking spaces - Class B | | b 0 | | |
| 4.15.6.61.13 | Minimum number of parking spaces per 100 m ² of gross floor area - non-residential for uses contained in Sentence 4.15.6.61.1 of this Exception | | | 3 | |

Exception RA5-61 continued on next page

| 4.15.6.61 | Exception: RA5-61 | Map # 22 | By-law: OLT Order 2023 June 05 | | |
|--------------|--|--|--|--|--|
| Exception RA | 5-61 continued from previ | ous page | | | |
| 4.15.6.61.14 | For the visitor component, a shared parking arrangement may be used for the calculation of required residential visitor/ non-residential parking in accordance with the following: | | | | |
| | the greater of | | | | |
| | 0.2 visitor parking spaces per dwelling unit | | | | |
| | or | | | | |
| | Parking required for all non-residential uses , except for | | | | |
| | restaurant over 220 m ² gross floor area - non-residential | | | | |
| | Parking for restaurant over 220 m ² gross floor area - non-residential , shall not be included in the above shared parking arrangement and shall be provided in accordance with applicable regulations contained in Table 3.1.2.2 of this By-law | | | | |
| 4.15.6.61.15 | | | 4.5 m ² per dwelling unit | | |
| 4.15.6.61.16 | All site development plans shall comply with Schedule RA5-61 of this Exception | | | | |
| Holding Prov | ision | | | | |
| | part of the lands zoned H-Map 22 of Schedule B corramended, upon satisfaction (1) delivery of an exect Municipal Infrastrua form and on term the City of Mississ (2) delivery of a Temp Commitment Letter Transportation and (3) delivery of a Confi the above-ground a have been removed Transportation and (4) delivery of a Recorsupporting docume Transportation and (5) delivery of an upda satisfaction of the Department; (6) delivery of updated satisfaction of the Department; (7) confirmation by Mand municipal bou boulevard treatment | o be removed from the whole o RA5-61 by further amendment ntained in Part 13 of this By-law n of the following requirements cuted Development Agreement ucture and Streetscape Schedule is satisfactory to The Corporatio sauga ("City"); porary Discharge to Storm Sewe er to the satisfaction of the City' I Works Department; irmation Letter from an Engine storage tanks, wells and septic to d to the satisfaction of the City's I Works Department; rd of Site Condition, together we entation to the satisfaction of the I Works Department; ated Hydrogeological Study to the City's Transportation and Work d engineering drawings to the City's Transportation and Work letrolinx/Mobilinx regarding gra levard works, including the amon the for the Hurontario Street from tenance or relocation, as the cas | to v, as with es in on of er 's er that tanks s vith all e City's the ts ading ended itage | | |



Schedule RA5-61 Map 22